

Camelion®

...for more energy



BATTERIES • RECHARGEABLES
MOBILE LIGHTS • CHARGERS • PROMOTIONAL

www.camelion.com

Camelion®

...for more energy

Empower Every Possibility with More Energy Solutions

Camelion has been providing energy solutions to customers worldwide for over 25 years. As one of the most influential energy solution brands in the global market, Camelion is now actively operating in over 120 countries and regions in collaboration with our business partners. Our mission is to satisfy our customers with the finest quality products, customer-friendly price and thoughtful services. Whenever and wherever you need help, we're here to assist you with all the energy solutions you require.

Just try us out!



Content

Primary Batteries

Lithium P7	6
Ultra Alkaline	8
Plus Alkaline	10
Digi Alkaline	18
Super Heavy Duty (Green)	20

Button Cells & Specialty Batteries

Lithium CR	26
Photo Lithium	28
Alkaline AG	30
Remote Control Batteries	32
Zinc Air Hearing Aid Batteries	34
Battery Selection Chart	37

Rechargeable Batteries

AlwaysReady	40
Ni-MH	44
Lithium-Ion Batteries	50

Battery Chargers

BC-1091	55
BC-1010B	56
BC-1092M	57
LBC-321	58
LBC-305	59
BC-1056T (BC-0806T)	60
BC-0905A	61
BC-0907	62
LBC-313-1	63
BC-1009	64
BC-1012	65
BC-1093	66
BC-1002F	67
Battery Charging Time Table	68

Displays & Merchandise

Metal Displays	72
Display Box	74
Giveaways	76

Mobile Lights

Headlamps	80
Flashlights	84
Search Lights	92
Multi-Purpose Lights	96
Key Lights	102



Camelion®

Primary Batteries

Whether you need power for your digital camera, MP3 player, PDA or remote control, Camelion primary batteries have you covered. Our Alkaline, Lithium and Zinc-Carbon batteries are reliable, long-lasting and easy to use. They deliver consistent performance and quality for all your devices. Our Zinc-Carbon batteries are also leak-proof, durable and economical. They are perfect for low-drain applications such as flashlights, radio/tape recorders, remote controls and watches.

Choose Camelion primary batteries and enjoy the freedom and flexibility of powering your devices anytime, anywhere.

Lithium

Camelion Lithium P7™ batteries offer a unique combination of lightness and high energy density. As Camelion's most powerful primary battery, the P7 batteries offer unbeatable performance for your high drain devices such as digital cameras, music players and games. It can be stored for up to 10 years.





Lithium P⁷

- Exceptional performance for high drain devices
- Up to 7X longer usage time than normal alkaline batteries when used in high drain devices
- 10-year storage life
- Super lightweight battery
- Higher operating voltage and flatter discharge curve
- Superior leakage resistance



FR6-BP2
Item No.: 19000206



1.5V AA	
Packaging	
Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	216 packs/carton
Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)
Gross Weight:	9.3 kg
Volume:	0.0251 cbm



FR03-BP2
Item No.: 19000203



1.5V AAA	
Packaging	
Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	288 packs/carton
Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)
Gross Weight:	8.0 kg
Volume:	0.0237 cbm



9V Lithium Battery

The new **Lithium 9V** battery from Camelion is a high capacity battery designed to provide long lasting life and stable operating voltage.

- Up to 5x Longer Lasting*
- Low Self Discharge
- Anti leakage crimp design
- Temperature Range -20°C to +55°C
- Non-rechargeable
- 10 Year Shelf Life
- High And Stable Operating Voltage

**compared to alkaline batteries. Camelion 2010 Lab Tests.*



CR9V-SP1
Item No.: 19101122



9V	
Packaging	
Shrink	1 pcs/pack
Inner Box	20 packs/box
Outer Carton	200 packs/carton
Dimensions	
Shrink (mm)	25.5(W) x 48.5(H) x 17.5(D)
Inner Box (mm)	145(L) x 74(W) x 54(H)
Outer Carton (cm)	39.0(L) x 17.5(W) x 13.5(H)
Gross Weight:	14.5 kg
Volume:	0.0083 cbm



CR9V-BP1
Item No.: 19001122



9V	
Packaging	
Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton
Dimensions	
Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)
Gross Weight:	8.3 kg
Volume:	0.0246 cbm

Ultra Alkaline

Camelion Ultra Alkaline™ batteries are engineered to provide maximum power for premium digital devices such as digital and instant cameras, blood pressure monitors, game controllers, drones, and more that need precise and ever-demanding energy. It is our #1 long-lasting MAX power alkaline battery.





Ultra Alkaline

- Maximum Power
- Anti-Leak Protection
- 10-Year Shelf Life



LR6UT-CB100

Item No.: 11010006

1.5V AA



Packaging

Box 100 pcs/box

Outer Carton 6 boxes/carton

Dimensions

Box (mm) 26.7(W) x 14.8(H) x 3.1(D)

Outer Carton (cm) 30.5(L) x 27.5(W) x 12.0(H)

Gross Weight:

14.6 kg

Volume:

0.0101 cbm



60LR6UT + 60LR03UT-CB

Item No.: 11060306

1.5V AA/AAA



Packaging

Box 120 pcs/box

Outer Carton 6 boxes/carton

Dimensions

Box (mm) 24.0(W) x 10.8(H) x 2.3(D)

Outer Carton (cm) 30.5(L) x 26.5(W) x 12.5(H)

Gross Weight:

13.1 kg

Volume:

0.0102 cbm



L03UT-CB100

Item No.: 11010003

1.5V AAA



Packaging

Box 100 pcs/box

Outer Carton 6 boxes/carton

Dimensions

Box (mm) 22.6(W) x 15.0(H) x 3.3(D)

Outer Carton (cm) 24.5(L) x 22.5(W) x 9.5(H)

Gross Weight:

7.7 kg

Volume:

0.0053 cbm



LR03-BP2UT

Item No.: 11060203

1.5V AAA



Packaging

Blister 2 pcs/pack

Inner Box 12 packs/box

Outer Carton 288 packs/carton

Dimensions

Blister (mm) 84(W) x 114(H) x 11(D)

Inner Box (mm) 119(L) x 75(W) x 86(H)

Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)

Gross Weight:

9.1 kg

Volume:

0.0237 cbm

Plus Alkaline

Camelion Plus Alkaline Batteries offer reliable and long-lasting power for your devices. The batteries are specially designed to deliver stable and long-term current, supporting devices such as remote control, toys, smart lock, smart sensors and electronic gaming devices.





Plus Alkaline

- Efficient discharge and long-lasting power performance
- Sustain high-drain devices with powerful energy
- Unique anti-leakage seal technology
- Extended storage life for up to 7 years



LR03-BP2
Item No.: 11000203
1.5V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	9.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 11(D)	
Inner Box (mm)	119(L) x 75(W) x 86(H)	
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)	



LR03-BP4
Item No.: 11000403
1.5V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	8.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0120 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 11(D)	
Inner Box (mm)	119(L) x 75(W) x 86(H)	
Outer Carton (cm)	27.5(L) x 25.5(W) x 17.0(H)	



LR6-BP2
Item No.: 11000206
1.5V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)	



LR6-BP4
Item No.: 11000406
1.5V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0166 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	27.5(L) x 28.0(W) x 22.5(H)	



6LR61-BP1
Item No.: 11000122
9V



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 18(D)	
Inner Box (mm)	123(L) x 117(W) x 86(H)	
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)	



LR14-BP2
Item No.: 11000214
1.5V C



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 27(D)	
Inner Box (mm)	140(L) x 90(W) x 92(H)	
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)	



LR20-BP2
Item No.: 11000220
1.5V D



Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 34(D)	
Inner Box (mm)	160(L) x 110(W) x 92(H)	
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)	

Plus Alkaline



4+4LR03

Item No.: 11044803

1.5V AAA



Packaging
Blister 8 pcs/pack
Inner Box 12 packs/box
Outer Carton 72 packs/carton

Gross Weight:
8.9 kg
Volume:
0.0150 cbm

Dimensions

Blister (mm) 168(W) x 114(H) x 11(D)
Inner Box (mm) 175(L) x 130(W) x 85(H)
Outer Carton (cm) 41.5(L) x 19.0(W) x 19.0(H)



4+4LR6

Item No.: 11044806

1.5V AA



Packaging
Blister 8 pcs/pack
Inner Box 12 packs/box
Outer Carton 72 packs/carton

Gross Weight:
15.5 kg
Volume:
0.0199 cbm

Dimensions

Blister (mm) 168(W) x 114(H) x 15(D)
Inner Box (mm) 175(L) x 140(W) x 10.8(H)
Outer Carton (cm) 43.5(L) x 19.0(W) x 24.0(H)



8+4LR03-BP

Item No.: 11084003

1.5V AAA



Packaging
Blister 12 pcs/pack
Inner Box 6 packs/box
Outer Carton 72 packs/carton

Gross Weight:
12.2 kg
Volume:
0.0207 cbm

Dimensions

Blister (mm) 125(W) x 114(H) x 21(D)
Inner Box (mm) 132(L) x 75(W) x 125(H)
Outer Carton (cm) 41.5(L) x 28.5(W) x 17.5(H)



8+4LR6-BP

Item No.: 11084006

1.5V AA



Packaging
Blister 12 pcs/pack
Inner Box 6 packs/box
Outer Carton 48 packs/carton

Gross Weight:
15.0 kg
Volume:
0.0190 cbm

Dimensions

Blister (mm) 125(W) x 114(H) x 29(D)
Inner Box (mm) 132(L) x 100(W) x 137(H)
Outer Carton (cm) 29.5(L) x 28.5(W) x 22.5(H)



LR03-BP10

Item No.: 11001003

1.5V AAA



Packaging
Blister 10 pcs/pack
Inner Box 12 packs/box
Outer Carton 72 packs/carton

Gross Weight:
9.4 kg
Volume:
0.0152 cbm

Dimensions

Blister (mm) 84(W) x 165(H) x 11(D)
Inner Box (mm) 243(L) x 85(W) x 90(H)
Outer Carton (cm) 30.0(L) x 26.0(W) x 19.5(H)



LR6-BP10

Item No.: 11001006

1.5V AA



Packaging
Blister 10 pcs/pack
Inner Box 12 packs/box
Outer Carton 72 packs/carton

Gross Weight:
18.8 kg
Volume:
0.0239 cbm

Dimensions

Blister (mm) 84(W) x 190(H) x 15(D)
Inner Box (mm) 315(L) x 104(W) x 90(H)
Outer Carton (cm) 33.0(L) x 31.5(W) x 23.0(H)



28+8LR03-CB

Item No.: 11028803

1.5V AAA



Packaging
Box 36 pcs/pack
Outer Carton 32 packs/carton

Gross Weight:
14.04 kg
Volume:
0.0081 cbm

Dimensions

Box (mm) 253(W) x 102(H) x 15(D)
Outer Carton (cm) 37.5(L) x 10.8(W) x 20.0(H)



28+8LR6-CB

Item No.: 11028806

1.5V AA



Packaging
Box 36 pcs/pack
Outer Carton 16 packs/carton

Gross Weight:
14.0 kg
Volume:
0.0083 cbm

Dimensions

Box (mm) 191(W) x 90(H) x 11(D)
Outer Carton (cm) 26.8(L) x 14.0(W) x 22.0(H)



LR03-SP2

Item No.: 11100203

1.5V AAA



Packaging
Shrink 2 pcs/pack
Inner Box 20 packs/box
Outer Carton 600 packs/carton

Gross Weight:
14.8 kg
Volume:
0.0083 cbm

Dimensions

Shrink (mm) 20(W) x 44.5(H) x 10(D)
Inner Box (mm) 83(L) x 52(W) x 45(H)
Outer Carton (cm) 29.0(L) x 19.0(W) x 15.0(H)



LR6-SP2

Item No.: 11100206

1.5V AA



Packaging
Shrink 2 pcs/pack
Inner Box 20 packs/box
Outer Carton 360 packs/carton

Gross Weight:
17.9 kg
Volume:
0.0100 cbm

Dimensions

Shrink (mm) 28(W) x 50(H) x 14(D)
Inner Box (mm) 113(L) x 72(W) x 50(H)
Outer Carton (cm) 31.5(L) x 23.5(W) x 13.5(H)



LR03-SP4

Item No.: 11100403

1.5V AAA



Packaging
Shrink 4 pcs/pack
Inner Box 15 packs/box
Outer Carton 300 packs/carton

Gross Weight:
14.7 kg
Volume:
0.0084 cbm

Dimensions

Shrink (mm) 40(W) x 44.5(H) x 10(D)
Inner Box (mm) 125(L) x 52(W) x 45(H)
Outer Carton (cm) 29.0(L) x 20.0(W) x 14.5(H)



LR6-SP4

Item No.: 11100406

1.5V AA



Packaging
Shrink 4 pcs/pack
Inner Box 15 packs/box
Outer Carton 180 packs/carton

Gross Weight:
17.8 kg
Volume:
0.0096 cbm

Dimensions

Shrink (mm) 56(W) x 50(H) x 14(D)
Inner Box (mm) 174(L) x 72(W) x 50(H)
Outer Carton (cm) 23.5(L) x 21.5(W) x 19.0(H)



LR14-SP2

Item No.: 11100214

1.5V C



Packaging
Shrink 2 pcs/pack
Inner Box 6 packs/box
Outer Carton 120 packs/carton

Gross Weight:
16.6 kg
Volume:
0.0123 cbm

Dimensions

Shrink (mm) 52(W) x 50(H) x 26(D)
Inner Box (mm) 107(L) x 81(W) x 56(H)
Outer Carton (cm) 29.5(L) x 22.5(W) x 18.5(H)



LR20-SP2

Item No.: 11100220

1.5V D



Packaging
Shrink 2 pcs/pack
Inner Box 6 packs/box
Outer Carton 60 packs/carton

Gross Weight:
16.7 kg
Volume:
0.0122 cbm

Dimensions

Shrink (mm) 66(W) x 61(H) x 33(D)
Inner Box (mm) 134(L) x 100(W) x 62(H)
Outer Carton (cm) 33.0(L) x 15.5(W) x 22.0(H)



6LR61-SP1

Item No.: 11100122

9V



Packaging
Shrink 1 pcs/pack
Inner Box 12 packs/box
Outer Carton 240 packs/carton

Gross Weight:
11.4 kg
Volume:
0.0083 cbm

Dimensions

Shrink (mm) 25.5(W) x 48.5(H) x 17.5(D)
Inner Box (mm) 105(L) x 52(W) x 50(H)
Outer Carton (cm) 29.0(L) x 23.0(W) x 12.5(H)



6LR61 bulk

Item No.: 11090022

9V



Packaging
Inner Box 12 pcs/box
Outer Carton 240 pcs/carton

Gross Weight:
11.4 kg
Volume:
0.0083 cbm

Dimensions

Bulk (mm) 25.5(W) x 48.5(H) x 17.5(D)
Inner Box (mm) 105(L) x 52(W) x 50(H)
Outer Carton (cm) 29.0(L) x 23.0(W) x 12.5(H)



LR03 bulk

Item No.: 11090003

1.5V AAA



Packaging
Inner Box 60 pcs/carton
Outer Carton 1200 pcs/carton

Gross Weight:
14.7 kg
Volume:
0.0084 cbm

Dimensions
Bulk (mm) 10(W) x 44.5(H) x 10(D)
Inner Box (mm) 83(L) x 52(W) x 45(H)
Outer Carton (cm) 29.0(L) x 19.0(W) x 15.0(H)



LR6 bulk

Item No.: 11090006

1.5V AA



Packaging
Inner Box 60 pcs/carton
Outer Carton 720 pcs/carton

Gross Weight:
17.8 kg
Volume:
0.0096 cbm

Dimensions
Bulk (mm) 14(W) x 50(H) x 14(D)
Inner Box (mm) 174(L) x 72(W) x 50(H)
Outer Carton (cm) 23.5(L) x 21.5(W) x 19.0(H)

Plus Alkaline



LR6-SP10

Item No.: 11101006

1.5V AA



Packaging

Shrink	10 pcs/pack
Inner Box	24 packs/box
Outer Carton	2 boxes/carton

Gross Weight:

14.0 kg

Volume:

0.0087 cbm

Dimensions

Inner Box (mm)	150(W) x 190(H) x 108(D)
Outer Carton (cm)	32.0(L) x 20.5(W) x 12.5(H)



LR6-SP10+2

Item No.: 11101206

1.5V AA



Packaging

Shrink	12 pcs/pack
Inner Box	20 packs/box
Outer Carton	2 boxes/carton

Gross Weight:

11.8 kg

Volume:

0.0079 cbm

Dimensions

Inner Box (mm)	175(W) x 150(H) x 110(D)
Outer Carton (cm)	31.5(L) x 19.0(W) x 13.2(H)



LR03-SP10

Item No.: 11101003

1.5V AAA



Packaging

Shrink	10 pcs/pack
Inner Box	20 packs/box
Outer Carton	4 boxes/carton

Gross Weight:

12.0 kg

Volume:

0.0075 cbm

Dimensions

Inner Box (mm)	110(W) x 120(H) x 96(D)
Outer Carton (cm)	26.0(L) x 24.0(W) x 11.0(H)



LR03-SP10+2

Item No.: 11101203

1.5V AAA



Packaging

Shrink	12 pcs/pack
Inner Box	20 packs/box
Outer Carton	4 boxes/carton

Gross Weight:

11.8 kg

Volume:

0.0075 cbm

Dimensions

Inner Box (mm)	130(W) x 110(H) x 100(D)
Outer Carton (cm)	23.5(L) x 14.5(W) x 22.0(H)





LR03-PB20

Item No.: 11102003

1.5V AAA



4 260216 453113

Packaging
Box 20 pcs/pack
Outer Carton 30 packs/carton

Gross Weight:
 7.8 kg
Volume:
 0.0074 cbm

Dimensions
Box (mm) 66(L) x 60(W) x 44(H)
Outer Carton (cm) 34.5(L) x 15.5(W) x 17.5(H)



LR03-PB24

Item No.: 11102403

1.5V AAA



4 260033 150462

Packaging
Box 24 pcs/pack
Outer Carton 30 packs/carton

Gross Weight:
 9.0 kg
Volume:
 0.0107 cbm

Dimensions
Box (mm) 80(L) x 60(W) x 45(H)
Outer Carton (cm) 34.5(L) x 18.5(W) x 17.0(H)



6LR61-PB6

Item No.: 11100622

9V



4 260033 150479

Packaging
Box 6 pcs/pack
Inner Box 6 packs/box
Outer Carton 24 packs/carton

Gross Weight:
 7.8 kg
Volume:
 0.0105 cbm

Dimensions
Shrink (mm) 71(W) x 68(H) x 49(D)
Inner Box (mm) 210(W) x 148(H) x 60(D)
Outer Carton (cm) 31.0(L) x 22.5(W) x 15.0(H)



LR6-PB20

Item No.: 11102006

1.5V AA



4 260216 453106

Packaging
Box 20 pcs/pack
Outer Carton 30 packs/carton

Gross Weight:
 15.0 kg
Volume:
 0.0150 cbm

Dimensions
Box (mm) 82(L) x 75(W) x 50(H)
Outer Carton (cm) 43.0(L) x 19.2(W) x 19.0(H)



LR6-PB24

Item No.: 11102406

1.5V AA



4 260033 150455

Packaging
Box 24 pcs/pack
Outer Carton 30 packs/carton

Gross Weight:
 18.3 kg
Volume:
 0.0178 cbm

Dimensions
Box (mm) 97(L) x 72(W) x 50(H)
Outer Carton (cm) 42.5(L) x 22.0(W) x 19.0(H)

Plus Alkaline - Special Sizes

Camelion Plus Alkaline Special Size Batteries provide reliable and long-lasting power for devices requiring less common battery formats. Designed for stable and consistent energy output, they are ideal for applications such as medical devices, security equipment, cameras, and other specialized electronics.





Plus Alkaline

- Reliable and consistent energy output
- Designed for specialized and low- to moderate-drain devices
- Unique anti-leakage seal technology
- Extended storage life for up to 7 years



3LR12-BP1

Item No.: 11000112

4.5V



Packaging		Gross Weight:
Blister	1 pcs/pack	16.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0295 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 23(D)
Inner Box (mm)	160(L) x 75(W) x 86(H)
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)



3LR12-SP1

Item No.: 11100112

4.5V



Packaging		Gross Weight:
Shrink	1 pcs/pack	16.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0233 cbm

Dimensions	
Shrink (mm)	62(W) x 65.5(H) x 22(D)
Inner Box (mm)	188(L) x 90(W) x 65(H)
Outer Carton (cm)	38.5(L) x 20.5(W) x 29.5(H)



LR61-BP2

Item No.: 11000261

1.5V AAAA



Packaging		Gross Weight:
Blister	2 pcs/pack	6.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0251 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	128(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 27.6(W) x 28.0(H)



LR1-BP5

Item No.: 11000501

1.5V N



Packaging		Gross Weight:
Blister	5 pcs/pack	10.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0150 cbm

Dimensions	
Blister (mm)	50(W) x 160(H) x (D)
Inner Box (mm)	170(L) x 78(W) x 52(H)
Outer Carton (cm)	33.5(L) x 19.0(W) x 23.5(H)



LR1-BP2

Item No.: 11000201

1.5V N



Packaging		Gross Weight:
Blister	2 pcs/pack	6.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	192 packs/carton	0.0181 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 12(D)
Inner Box (mm)	113(L) x 45(W) x 86(H)
Outer Carton (cm)	36.2(L) x 25.0(W) x 20.0(H)



LR1 bulk

Item No.: 11100101

1.5V N



Packaging		Gross Weight:
Inner Box	80 packs/box	25.0 kg
Outer Carton	2400 packs/carton	Volume:
		0.0147 cbm

Dimensions	
Bulk (mm)	95(W) x 120(H) x 30(D)
Inner Box (mm)	120(L) x 95(W) x 30(H)
Outer Carton (cm)	26.0(L) x 30.5(W) x 18.5(H)

Digi Alkaline

Camelion Digi Alkaline batteries are the right solution for many electronic devices including digital cameras, music players, and boom boxes. Using a new technology they offer long lasting power for high drain devices.





Digi Alkaline

- Low self-discharge - shelf life of up to 10 years
- Very good storage life with little capacity loss over time
- Stable voltage for high demands
- Suitable for use in extreme temperature fluctuations
- Longer storage time with maximum leakage protection
- Safety and stability thanks to improved bursting diaphragm



LR03-BP4DG

Item No.: 11210403

1.5V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR03-BP2DG

Item No.: 11210203

1.5V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	9.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-BP4DG

Item No.: 11210406

1.5V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	15.22 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0185 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	27.5(L) x 28.0(W) x 21.5(H)



LR6-BP2DG

Item No.: 11210206

1.5V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	216 packs/carton	0.0251 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR14-BP2DG

Item No.: 11210214

1.5V C



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0227 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR20-BP2DG

Item No.: 11210220

1.5V D



Packaging		Gross Weight:
Blister	2 pcs/pack	15.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0157 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



6LR61-BP1DG

Item No.: 11210122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0246 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Super Heavy Duty - Green

Camelion Super Heavy Duty Green Zinc Carbon Batteries are the perfect solution for small household electronic devices that require continuous power supply, such as clocks, flashlights, remote controls and transistor radios. By incorporating manganese dioxide and zinc/ammonium chloride, we've designed a leak-proof battery.



Super Heavy Duty

- Stable voltage and reliable power
- Zinc-carbon battery with long-lasting power
- Suitable for wall clocks, alarm clocks, torches, etc.
- Also suitable for extreme temperature fluctuations
- PVC material ideal for economical choice



R03P-BP8G

Item No.: 10000803

1.5V AAA



Packaging		Gross Weight:
Blister	8 pcs/pack	7.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0132 cbm

Dimensions	
Blister (mm)	84(W) x 165(H) x 15(D)
Inner Box (mm)	200(L) x 84(W) x 90(H)
Outer Carton (cm)	30.0(L) x 22.0(W) x 20.0(H)



R03P-BP4G

Item No.: 10000403

1.5V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	12.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



R6P-BP8G

Item No.: 10000806

1.5V AA



Packaging		Gross Weight:
Blister	8 pcs/pack	11.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0198 cbm

Dimensions	
Blister (mm)	84(W) x 165(H) x 15(D)
Inner Box (mm)	265(L) x 100(W) x 90(H)
Outer Carton (cm)	31.5(L) x 28.0(W) x 22.5(H)



R6P-BP4G

Item No.: 10000406

1.5V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	16.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0272 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R6P-BP10G

Item No.: 10001006

1.5V AA



Packaging		Gross Weight:
Blister	10 pcs/pack	14.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0239 cbm

Dimensions	
Blister (mm)	84(W) x 190(H) x 15(D)
Inner Box (mm)	315(L) x 104(W) x 90(H)
Outer Carton (cm)	33.0(L) x 31.5(W) x 23.0(H)



R14P-BP4G

Item No.: 10000414

1.5V C



Packaging		Gross Weight:
Blister	4 pcs/pack	10.4 kg
Inner Box	6 packs/box	Volume:
Outer Carton	54 packs/carton	0.0245 cbm

Dimensions	
Blister (mm)	84(W) x 165(H) x 27(D)
Inner Box (mm)	240(L) x 90(W) x 90(H)
Outer Carton (cm)	32.0(L) x 25.5(W) x 30.0(H)



R14P-BP2G

Item No.: 10000214

1.5V C



Packaging		Gross Weight:
Blister	2 pcs/pack	14.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0315 cbm

Dimensions	
Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	137(L) x 86(W) x 86(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 28.5(H)

Super Heavy Duty



R20P-BP4G

Item No.: 10000420

1.5V D



Packaging
Blister 4 pcs/pack
Inner Box 6 packs/box
Outer Carton 54 packs/carton

Gross Weight:
20.6 kg
Volume:
0.0340 cbm

Dimensions

Blister (mm) 84(W) x 190(H) x 34(D)
Inner Box (mm) 290(L) x 110(W) x 90(H)
Outer Carton (cm) 31.0(L) x 30.5(W) x 36.0(H)



R20P-BP2G

Item No.: 10000220

1.5V D



Packaging
Blister 2 pcs/pack
Inner Box 6 packs/box
Outer Carton 72 packs/carton

Gross Weight:
14.3 kg
Volume:
0.0238 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 34(D)
Inner Box (mm) 160(L) x 110(W) x 92(H)
Outer Carton (cm) 33.5(L) x 19.5(W) x 24.5(H)



6F22-BP1G

Item No.: 10000122

9V



Packaging
Blister 1 pcs/pack
Inner Box 12 packs/box
Outer Carton 240 packs/carton

Gross Weight:
11.4 kg
Volume:
0.0310 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 18(D)
Inner Box (mm) 123(L) x 117(W) x 86(H)
Outer Carton (cm) 45.0(L) x 27.0(W) x 25.5(H)



3R12-BP1G

Item No.: 10000112

4.5V



Packaging
Blister 1 pcs/pack
Inner Box 6 packs/box
Outer Carton 144 packs/carton

Gross Weight:
15.4 kg
Volume:
0.0290 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 23(D)
Inner Box (mm) 160(L) x 75(W) x 86(H)
Outer Carton (cm) 33.5(L) x 31.5(W) x 27.5(H)



R6P-SP4G

Item No.: 10100406

1.5V AA



Packaging
Shrink 4 pcs/pack
Inner Box 15 packs/box
Outer Carton 240 packs/carton

Gross Weight:
14.7 kg
Volume:
0.0127 cbm

Dimensions

Shrink (mm) 56(W) x 50(H) x 14(D)
Inner Box (mm) 174(L) x 72(W) x 50(H)
Outer Carton (cm) 30.5(L) x 22.0(W) x 19.0(H)



R6P-SP2G

Item No.: 10100206

1.5V AA



Packaging
Shrink 2 pcs/pack
Inner Box 30 packs/box
Outer Carton 480 packs/carton

Gross Weight:
15.5 kg
Volume:
0.0127 cbm

Dimensions

Shrink (mm) 28(W) x 50(H) x 14(D)
Inner Box (mm) 113(L) x 72(W) x 50(H)
Outer Carton (cm) 30.5(L) x 22.0(W) x 19.0(H)



R03P-SP4G

Item No.: 10100403

1.5V AAA



Packaging
Shrink 4 pcs/pack
Inner Box 15 packs/box
Outer Carton 300 packs/carton

Gross Weight:
10.0 kg
Volume:
0.0083 cbm

Dimensions

Shrink (mm) 40(W) x 44.5(H) x 10(D)
Inner Box (mm) 125(L) x 52(W) x 45(H)
Outer Carton (cm) 28.5(L) x 20.0(W) x 14.5(H)



R03P-SP2G

Item No.: 10100203

1.5V AAA



Packaging
Shrink 2 pcs/pack
Inner Box 30 packs/box
Outer Carton 600 packs/carton

Gross Weight:
9.5 kg
Volume:
0.0083 cbm

Dimensions

Shrink (mm) 40(W) x 44.5(H) x 10(D)
Inner Box (mm) 83(L) x 52(W) x 45(H)
Outer Carton (cm) 28.5(L) x 20.0(W) x 14.5(H)



R14P-SP2G

Item No.: 10100214

1.5V C



Packaging
Shrink 2 pcs/pack
Inner Box 6 packs/box
Outer Carton 144 packs/carton

Gross Weight:
13.2 kg
Volume:
0.0129 cbm

Dimensions

Shrink (mm) 52(W) x 50(H) x 26(D)
Inner Box (mm) 104(L) x 78(W) x 50(H)
Outer Carton (cm) 25.5(L) x 23.0(W) x 22.0(H)



R20P-SP2G

Item No.: 10100220

1.5V D



Packaging
Shrink 2 pcs/pack
Inner Box 6 packs/box
Outer Carton 96 packs/carton

Gross Weight:
17.5 kg
Volume:
0.0169 cbm

Dimensions

Shrink (mm) 66(W) x 61(H) x 33(D)
Inner Box (mm) 137(L) x 103(W) x 68(H)
Outer Carton (cm) 28.5(L) x 22.0(W) x 27.0(H)



6F22-SP1G

Item No.: 10100122

9V



Packaging		Gross Weight:
Shrink	1 pcs/pack	19.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	480 packs/carton	0.0144 cbm
Dimensions		
Shrink (mm)	25.5(W) x 48.5(H) x 17.5(D)	
Inner Box (mm)	105(L) x 52(W) x 50(H)	
Outer Carton (cm)	29.0(L) x 22.5(W) x 22.0(H)	



3R12-SP1G

Item No.: 10100112

4.5V



Packaging		Gross Weight:
Shrink	1 pcs/pack	16.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0188 cbm
Dimensions		
Shrink (mm)	62(W) x 65.5(H) x 22(D)	
Inner Box (mm)	188(L) x 90(W) x 65(H)	
Outer Carton (cm)	39.0(L) x 21.0(W) x 23.0(H)	



R03P-SP8G

Item No.: 10108003

1.5V AAA



Packaging		Gross Weight:
Blister	8 pcs/pack	15.3 kg
Inner Box	40 packs/box	Volume:
Outer Carton	6 boxes/carton	0.0141 cbm
Dimensions		
Inner Box (mm)	170(L) x 110(W) x 100(H)	
Outer Carton (cm)	31.5(L) x 23.5(W) x 19.5(H)	



R6P-SP8G

Item No.: 10108006

1.5V AA



Packaging		Gross Weight:
Blister	8 pcs/pack	14.7 kg
Inner Box	20 packs/box	Volume:
Outer Carton	6 boxes/carton	0.0147 cbm
Dimensions		
Inner Box (mm)	150(L) x 118(W) x 110(H)	
Outer Carton (cm)	34.5(L) x 25.0(W) x 17.0(H)	



R03P-SP12G

Item No.: 10101203

1.5V AAA



Packaging		Gross Weight:
Blister	12 pcs/pack	14.8 kg
Inner Box	20 packs/box	Volume:
Outer Carton	8 boxes/carton	0.0143 cbm
Dimensions		
Inner Box (mm)	130(L) x 110(W) x 100(H)	
Outer Carton (cm)	27.5(L) x 23.5(W) x 22.0(H)	



R6P-SP12G

Item No.: 10101206

1.5V AA



Packaging		Gross Weight:
Blister	12 pcs/pack	16.5 kg
Inner Box	6 packs/box	Volume:
Outer Carton	8 boxes/carton	0.0127 cbm
Dimensions		
Inner Box (mm)	175(L) x 150(W) x 110(H)	
Outer Carton (cm)	31.5(L) x 19.0(W) x 24.0(H)	



FPG-GB25

Item No.: 10102500-1

1.5V 9V



Packaging		Gross Weight:
Inner Box	25 pcs/pack	7.7 kg
Outer Carton	24 packs/carton	Volume:
		0.0079 cbm
Dimensions		
Inner Box (mm)	141(L) x 30(W) x 52(H)	
Outer Carton (cm)	30.0(L) x 21.0(W) x 12.5(H)	



FPG-GB40

Item No.: 10104000

1.5V C/AA/AAA



Packaging		Gross Weight:
24 x R6P + 12 x R03P + 4 x R14P + 1 x SL3013(Blue LR44)		13.0 kg
Outer Carton	18 packs/carton	Volume:
		0.0223 cbm
Dimensions		
Box (mm)	132(L) x 126(W) x 54(H)	
Outer Carton (cm)	40.0(L) x 28.0(W) x 19.5(H)	



FPG-GB72

Item No.: 10197200-1

1.5V AA/AAA



Packaging		Gross Weight:
Inner Box	72 pcs/pack	9.84 kg
Outer Carton	12 packs/carton	Volume:
		0.0106 cbm
Dimensions		
Inner Box (mm)	150(L) x 35(W) x 127(H)	
Outer Carton (cm)	31.5(L) x 27.0(W) x 12.5(H)	



Camelion®


Button Cells & Specialty Batteries

Camelion Button Cells provide stable energy for small electronic devices and are available in lithium, alkaline, silver oxide and zinc air chemistries, depending upon voltage and size requirements of your equipment. They are suitable for car keys, calculators, laser points, hearing aids and many other electronic gadgets.

Lithium (CR) Button Cells – 3V

Camelion Lithium Button Cells are powerful batteries made of lithium and manganese dioxide with 3.0V voltage. They have a stainless steel casing, a high energy density and a long durability. They are suitable for many devices such as computers, cameras, alarm systems etc.





Lithium (CR) Button Cells – 3V

- Powerful and stable performance
- Low self-discharge, long storage life
- Outstanding anti-leakage feature
- High energy density



ITEM	ITEM NO.	EAN	PACKAGING WxHxD(mm)	INNER BOX LxWxH (mm)	OUTER CARTON LxWxH (cm)	G.W. (kg)	VOLUME (m³)
CR1216-BP1	13001216	4260033152831	55 x 92 x 3 1 PCS / BLISTER	98 x 37 x 58 10 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	6.0	0.0451
CR1220-BP1	13001122	4260033152824				6.5	
CR1225-BP1	13001225	4260033152817				5.5	
CR1616-BP1	13001161	4260033152800				6.8	
CR1620-BP1	13001620	4260033152794				7.0	
CR1632-BP1	13001632	4260033152923				8.6	
CR2016-BP1	13001016	4260033152787				7.2	
CR2025-BP1	13001025	4260033152770				9.1	
CR2032-BP1	13001032	4260033152763		98 x 55 x 57 10 PACKS	58.0 x 31.5 x 38.0 1800 PACKS	10.1	0.0694
CR2320-BP1	13001320	4260033152756				12.1	
CR2325-BP1	13001325	4260033152848				13.0	
CR2330-BP1	13001330	4260033152749				13.6	
CR2354-BP1	13001354	4260216456596				14.0	
CR2430-BP1	13001430	4260033152732				20.7	
CR2450-BP1	13001450	4260033152725				20.7	
CR2477-BP1	13001477	4260216455353				27.3	
CR927-BP1	13001927	4260216452475				6.2	
CR1216-BP5	13005216	4260033152718	55 x 190 x 3 5 PCS / BLISTER	195 x 105 x 64 30 PACKS	45.5 x 20.5 x 20.5 360 PACKS	6.0	0.0191
CR1220-BP5	13005122	4260033152701				6.0	
CR1225-BP5	13005225	4260033152695				5.5	
CR1616-BP5	13005161	4260033152688				6.3	
CR1620-BP5	13005620	4260033152671				6.5	
CR1632-BP5	13005632	4260216455797				8.1	
CR2016-BP5	13005016	4260033152664				7.2	
CR2025-BP5	13005025	4260033152657				8.6	
CR2032-BP5	13005032	4260033152640	55 x 227 x 3 5 PCS / BLISTER	230 x 130 x 75 30 PACKS	54.5 x 24.0 x 24.7 360 PACKS	9.6	0.0323
CR2430-BP5	13005430	4260216455803				13.3	
CR2450-BP5	13005450	4260216455810				16.9	
CRVP01-BP6	13000600	4260216456145	55 x 190 x 3 5 PCS / BLISTER	195 x 105 x 64 30 PACKS	45.5 x 20.5 x 20.5 360 PACKS	6.0	0.0191

„Photo Lithium“ Speciality Batteries

Camelion Photo Lithium Batteries are ideal for a wide range of cameras, flashlights, meters and more.





3V Photo Lithium

- Powerful output with large capacity, providing stable power for electronic devices
- Mercury and cadmium free
- Perfect for devices with limited space



CR123A-BP1

Item No.: 19001123

3V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Gross Weight:
 5.5 kg
Volume:
 0.0243 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 17.5(D)
Inner Box (mm) 118(L) x 95(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 21.5(H)



CR2-BP1

Item No.: 19001142

3V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Gross Weight:
 4.5 kg
Volume:
 0.0215 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 16.5(D)
Inner Box (mm) 118(L) x 85(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 19.0(H)



6V Photo Lithium

- Offers more power for demanding applications.
- Cameras, flash units and other devices
- Ideal for cameras and flash units that require a longer runtime.



CR-P2-BP1

Item No.: 19001152

6V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Gross Weight:
 10.0 kg
Volume:
 0.0265 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 20.5(D)
Inner Box (mm) 118(L) x 105(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 23.5(H)



2CR5-BP1

Item No.: 19001125

6V

Packaging
Blister 1 pcs/pack
Inner Box 10 packs/box
Outer Carton 200 packs/carton

Gross Weight:
 10.0 kg
Volume:
 0.0265 cbm

Dimensions


Blister (mm) 84(W) x 114(H) x 18(D)
Inner Box (mm) 118(L) x 105(W) x 85(H)
Outer Carton (cm) 45.0(L) x 25.0(W) x 23.5(H)

Alkaline (AG) Button Cells – 1.5V

Camelion Alkaline Button Cells are powered by a zinc manganese dioxide electrochemical system that provides a reliable and long-lasting energy source. They have a nominal voltage of 1.5V and a stainless steel casing that protects them from corrosion and leakage. With a shelf life of about 5 years these button cells are ideal for watches, calculators, toys, lights and other small devices that require low to moderate power.


Industrial Classifications

AG0	LR521	G0			379	AG7	LR926	G7	LR57	195	395
AG1	LR621	G1	LR60	164	364	AG8	LR1120	G8	LR55	191	391
AG2	LR726	G2	LR59	196	396	AG9	LR936	G9	LR45	194	394
AG3	LR41	G3	LR41	192	392	AG10	LR1130	G10	LR54	189	389
AG4	LR626	G4	LR66	177	377	AG11	LR721	G11	LR58	162	362
AG5	LR754	G5	LR48	193	393	AG12	LR43	G12	LR43	186	386
AG6	LR921	G6	LR69	171	371	AG13	LR44	G13	LR44	A76	357



Alkaline (AG) Button Cells – 1.5V

- Powerful and stable performance
- Ideal for high drain electronic gadgets
- Reliable, steady power output
- Broad scope of applications



ITEM(0%Hg)	ITEM NO.	EAN	PACKAGING BxHxT (mm)	INNER BOX LxBxH (mm)	OUTER CARTON LxBxH (cm)	G.W. (kg)	VOLUME (m³)
AG1-BP2(0%Hg)	12050201	4260216454783	56 x 92 x 5 2 PCS / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	7.0	0.0379
AG2-BP2(0%Hg)	12050202	4260216454790				7.8	
AG3-BP2(0%Hg)	12050203	4260216454806				8.0	
AG4-BP2(0%Hg)	12050204	4260216454622				7.0	
AG5-BP2(0%Hg)	12050205	4260216454813	56 x 92 x 7 2 PCS / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.0	0.0451
AG6-BP2(0%Hg)	12050206	4260216454820	56 x 92 x 5 2 PCS / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	8.0	0.0379
AG7-BP2(0%Hg)	12050207	4260216454837				8.5	
AG8-BP2(0%Hg)	12050208	4260216454844				9.0	
AG9-BP2(0%Hg)	12050209	4260216454851				9.0	
AG10-BP2(0%Hg)	12050210	4260216454608	56 x 92 x 7 2 PCS / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	10.0	0.0451
AG11-BP2(0%Hg)	12050211	4260216454868				7.0	
AG12-BP2(0%Hg)	12050212	4260216454875				11.0	
AG13-BP2(0%Hg)	12050213	4260216454615				13.0	
625A-BP1(0%Hg)	12050125	4260216454882	56 x 92 x 7 1 PCS / BLISTER	146 x 98 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	18.0	0.0451
AG0-BP10(0%Hg)	12051000	4260216454899	50 x 160 x 5 10 PCS / BLISTER	170 x 40 x 52 20 PACKS	50.0 x 20.0 x 20.0 360 PACKS	4.0	0.0198
AG1-BP10(0%Hg)	12051001	4260216454905				4.0	
AG2-BP10(0%Hg)	12051002	4260216454912				4.5	
AG3-BP10(0%Hg)	12051003	4260216454929				5.0	
AG4-BP10(0%Hg)	12051004	4260216454400				4.0	
AG5-BP10(0%Hg)	12051005	4260216454936				6.5	
AG6-BP10(0%Hg)	12051006	4260216454943				5.0	
AG7-BP10(0%Hg)	12051007	4260216454950				5.5	
AG8-BP10(0%Hg)	12051008	4260216454967				6.0	
AG9-BP10(0%Hg)	12051009	4260216454974				6.0	
AG10-BP10(0%Hg)	12051010	4260216454981				7.0	
AG11-BP10(0%Hg)	12051011	4260216454998				4.0	
AG12-BP10(0%Hg)	12051012	4260216455001				8.7	
AG13-BP10(0%Hg)	12051013	4260216455018				10.0	
FB02-BP6 (1xAG3, 1xAG4, 2xAG10, 2xAG13)	12050600	4260216458675	80 x 120 x 5 6 PCS / BLISTER	145 x 83 x 83 20 PACKS	43.5 x 15.7 x 18.8 200 PACKS	3.0	0.0128
FB03-BP20 (4xAG1, 4xAG3, 4xAG4, 4xAG10, 4xAG13)	12052000	4260216458682	110 x 190 x 5 20 PCS / BLISTER	203 x 78 x 120 20 PACKS	40.5 x 25.5 x 30.5 200 PACKS	7.1	0.0315
FB04-BP24 (2xAG1, 2xAG3, 2xAG4, 2xAG5, 2xAG8, 2xAG10, 2xAG12, 2xAG13, 2xCR1620, 2xCR2016, 2xCR2025, 2xCR2032)	13052400	4260216458699	145 x 195 x 6.9 24 PCS / BLISTER	216 x 170 x 155 25 PACKS	45.2 x 33.2 x 35.5 200 PACKS	6.5	0.0533
FB05-BP40 (8xAG1, 8xAG3, 8xAG4, 4xAG5, 4xAG12, 8xAG13)	12054000	4260216458705	112 x 262 x 5 40 PCS / BLISTER	267 x 180 x 120 25 PACKS	38.0 x 28.2 x 26.2 100 PACKS	11.7	0.0281

„Remote Control“ Specialty Batteries

Camelion Remote Control batteries are specially designed for radio and remote controls. They are characterized by their sustainable power and long shelf life, lasting up to three years.





Remote Control Batteries

- Higher voltage than the ordinary micro alkaline batteries
- Stable and stronger energy for small electronic devices
- 0% Mercury
- Individual blister packaging



ITEM(0% Hg)	ITEM NO.	EAN	Voltage (V)	PACKAGING WxHxD (mm)	INNER BOX LxWxH (mm)	SHIPPING CARTON LxWxH (cm)	G.W. (kg)	VOLUME (m³)
A11-BP1(0%Hg)	11050111	4260216455049	6V	56 x 92 x 10 1 PC / BLISTER	125 x 95 x 58 20 PACKS	39.5 x 30.5 x 31.5 900 PACKS	7.6	0.0380
A23-BP1(0%Hg)	11050123	4260216455056	12V				8.6	
A27-BP1(0%Hg)	11050127	4260216455063	12V				8.0	
LR32A-BP1(0%Hg)	11050132	4260216455070	9V				6.0	
A23-BP5(0%Hg)	11050523	4260216455087	12V	50 x 160 x 10 5 PCS / BLISTER	170 x 65 x 52 10 PACKS	42.0 x 36.0 x 18.0 360 PACKS	18.0	0.0273
A27-BP5(0%Hg)	11050527	4260216455094	12V				12.0	



4LR44-BP1
Item No.: 12050144



6V	4 260216 4455025
Packaging	
Blister	1 pcs/pack
Inner Box	20 packs/box
Outer Carton	900 packs/carton
Gross Weight:	15.0 kg
Volume:	0.0451 cbm
Dimensions	
Blister (mm)	56(W) x 92(H) x (D)
Inner Box (mm)	145(L) x 95(W) x 58(H)
Outer Carton (cm)	45.5(L) x 31.5(W) x 31.5(H)



4LR44-BP5
Item No.: 12050544



6V	4 260216 4455827
Packaging	
Blister	5 pcs/pack
Inner Box	6 packs/box
Outer Carton	192 packs/carton
Gross Weight:	13.2 kg
Volume:	0.0150 cbm
Dimensions	
Blister (mm)	50(W) x 160(H) x (D)
Inner Box (mm)	170(L) x 78(W) x 52(H)
Outer Carton (cm)	33.5(L) x 19.0(W) x 23.5(H)



4LR43-BP1
Item No.: 12050143



6V	4 260216 4456619
Packaging	
Blister	1 pcs/pack
Inner Box	20 packs/box
Outer Carton	900 packs/carton
Gross Weight:	15.0 kg
Volume:	0.0451 cbm
Dimensions	
Blister (mm)	56(W) x 92(H) x (D)
Inner Box (mm)	145(L) x 95(W) x 58(H)
Outer Carton (cm)	45.5(L) x 31.5(W) x 31.5(H)



LR11A-BP1
Item No.: 11050111



6V	4 260216 4455049
Packaging	
Blister	1 pcs/pack
Inner Box	20 packs/box
Outer Carton	900 packs/carton
Gross Weight:	7.6 kg
Volume:	0.038 cbm
Dimensions	
Blister (mm)	56(W) x 92(H) x 10(D)
Inner Box (mm)	125(L) x 95(W) x 58(H)
Outer Carton (cm)	39.5(L) x 30.5(W) x 31.5(H)

Hearing Aid Batteries




Camelion Hearing Aid batteries are light and reliable. They come in four different sizes suitable for different types of hearing aids. The package is specially designed for easy access, storage and usage.





ZincAir 1.4V

- Powerful output with large capacity, providing stable and safe power
- Lightweight and reliable, easy to storage and use
- Mercury and cadmium free, reduce pollution to the environment



ITEM	ITEM NO.	EAN	WxHxD (mm)	PACKAGING	WxHxD (mm)	INNER BOX	WxHxD (mm)	INNER CARTON	WxHxD (cm)	SHIPPING CARTON	G.W. (kg)	VOLUME (m³)
A10-BP6(0%Hg)	15056010	4043752391961	48 x 90 x 4.5	6PCS/Blister	92 x 32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.0	0.0196
A13-BP6(0%Hg)	15056013	4260030253975	48 x 90 x 6.5	6PCS/Blister	92 x 42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	6.5	0.0242
A312-BP6(0%Hg)	15056312	4260030253982	48 x 90 x 4.5	6PCS/Blister	92 x 32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.5	0.0196
A675-BP6(0%Hg)	15056675	4260030253999	48 x 90 x 6.5	6PCS/Blister	92 x 42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	9.5	0.0242



Battery Selection Chart

Lithium P7 Batteries		         
Ultra Alkaline Batteries		         
Digi Alkaline Batteries		         
Plus Alkaline Batteries		        
Super Heavy Duty Batteries		    
Photo Lithium Batteries		  
9V Lithium Battery		 
Button Cells: Lithium		  
Specialty Batteries: Alkaline / Silver Oxide	  	  
Hearing Aid Batteries Zinc Air		

Please Note:

These are suggested recommendations only. For the most accurate information please refer to your device manufacturer's manual. Camelion is not responsible for accidents resulting from the use of this information

Specifications

	Lithium P7		Digi Alkaline		Plus Alkaline							Super Heavy Duty						
	FR6	FR03	LR6	LR03	LR20	LR14	LR6	LR03	LR61	6LF22**	3LR12	R6	R03	R20	R14	6F22**	3R12*	4R25
Nominal Voltage (V)	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	9	4.5	1.5	1.5	1.5	1.5	9	4.5	6
Average Capacity (mAh)	2800	1100	2800	1100	18000	8500	2800	1100	600	190**	2700*	950	460	5600	2400	450	1700	7000

20+/-2°C, Rated capacity at 25 mA continuous drain, to 0.8V

* 20+/-2°C, Rated capacity at 25 mA continuous drain, to 2.7V

** 20+/-2°C, Rated capacity at 25 mA continuous drain, to 4.8V



Camelion®

Rechargeable Batteries

Camelion Rechargeable batteries offer high capacity performance, up to 1.000 recharge cycles, and because they are used again and again they help reduce environmental waste.

AlwaysReady™

Ni-MH Always Ready Rechargeable Batteries

Camelion AlwaysReady battery is ready to be used right from the package. It holds the charge for up to a year. And they can be recharged again and again, saving you money. Are you ready? Try AlwaysReady batteries today!





AlwaysReady™

Ni-MH Always Ready Rechargeable Batteries

- Capacity remaining:
6 months: 90% / 12 months: 85% / 24 months: 80%
- Rechargeable: up to 1000 times



NH-AA2700ARBP2

Item No.: 17427206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	13.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2700ARBP4

Item No.: 17427406

1.2V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	26.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2500ARBP2

Item No.: 17425206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	13.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-9V200ARBP1

Item No.: 17420122

9V



Packaging		Gross Weight:
Blister	1 pcs/pack	12.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0385 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)



NH-AA2300ARBP2

Item No.: 17423206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	12.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2300ARBP4

Item No.: 17423406

1.2V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	11.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AAA1100ARBP4

Item No.: 17411403

1.2V AAA



4 260216 457814

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	144 packs/carton

Gross Weight:

9.5 kg

Volume:

0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA1100ARBP2

Item No.: 17411203

1.2V AAA



4 260216 457821

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:

8.6 kg

Volume:

0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AA800ARBP4

Item No.: 17408406

1.2V AA



4 260216 453229

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:

11.4 kg

Volume:

0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA800ARBP2

Item No.: 17408206

1.2V AA



4 260216 453236

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:

12.4 kg

Volume:

0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA800ARBP4

Item No.: 17408403

1.2V AAA



4 260216 455674

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	144 packs/carton

Gross Weight:

8.6 kg

Volume:

0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA800ARBP2

Item No.: 17408203

1.2V AAA



4 260216 455674

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:

7.9 kg

Volume:

0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA600ARBP4

Item No.: 17406403

1.2V AAA



4 260216 455674

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	144 packs/carton

Gross Weight:

8.6 kg

Volume:

0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA600ARBP2

Item No.: 17406203

1.2V AAA



4 260216 455674

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:

7.9 kg

Volume:

0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



Energy Solutions for Solar-Powered Devices

Camelion Ni-MH rechargeable batteries are perfect solutions for outdoor solar-powered equipment.

The battery offers a longer life cycle and is outstanding in sustaining its energy when charged by solar powered devices. It is the ideal choice for outdoor equipment such as trail lights.



NH-AA600ARBP4(GSL)

Item No.: 17406406

1.2V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	9.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AA600ARBP2(GSL)

Item No.: 17406206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	12.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



FA-16H6/12H8ARBP4D28

Item No.: 17428463

1.2V AA + AAA



14260216457224

Packaging		Gross Weight:
Blister	4 pcs/pack	9.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)

Ni-MH Rechargeable Batteries

Camelion Ni-MH Rechargeable batteries offer high capacity performance, up to 1000 recharge cycles, and because they are used again and again they help reduce environmental waste. High drain devices such as music players and digital cameras are supported, therefore, you can hear more songs and take more photos.





Ni-MH Rechargeables

- Rechargeable: up to 1000 times
- Ideal for long-lasting constant energy output (long-term stability)
- Nickel-metal hydride



NH-AA2700BP4

Item No.: 17027406

1.2V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	13.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)	



NH-AA2700BP2

Item No.: 17027206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	14.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)	



NH-AA2500BP4

Item No.: 17025406

1.2V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	13.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)	



NH-AA2500BP2

Item No.: 17025206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)	



NH-AA2300BP4

Item No.: 17023406

1.2V AA



Packaging		Gross Weight:
Blister	4 pcs/pack	12.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)	



NH-AA2300BP2

Item No.: 17023206

1.2V AA



Packaging		Gross Weight:
Blister	2 pcs/pack	13.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm
Dimensions		
Blister (mm)	90(W) x 117(H) x 15(D)	
Inner Box (mm)	134(L) x 104(W) x 97(H)	
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)	

Ni-MH Classic



NH-AA2000BP2

Item No.: 17020206

1.2V AA



4 260033 151582

Packaging		Gross Weight:
Blister	2 pcs/pack	13.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA1500BP2

Item No.: 17015206

1.2V AA



4 260033 151629

Packaging		Gross Weight:
Blister	2 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA1800BP4

Item No.: 17018406

1.2V AA



4 260033 151605

Packaging		Gross Weight:
Blister	4 pcs/pack	11.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA1800BP2

Item No.: 17018206

1.2V AA



4 260033 151612

Packaging		Gross Weight:
Blister	2 pcs/pack	12.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA800BP2

Item No.: 17008206

1.2V AA



4 260216 459160

Packaging		Gross Weight:
Blister	2 pcs/pack	8.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	135(L) x 105(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA1100BP4

Item No.: 17011403

1.2V AAA



4 260033 151957

Packaging		Gross Weight:
Blister	4 pcs/pack	9.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA1100BP2

Item No.: 17011203

1.2V AAA



4 260033 151940

Packaging		Gross Weight:
Blister	2 pcs/pack	9.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA1000BP4

Item No.: 17010403

1.2V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	8.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA1000BP2

Item No.: 17010203

1.2V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	8.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA900BP4

Item No.: 17009403

1.2V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	8.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA900BP2

Item No.: 17009203

1.2V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	8.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA800BP2

Item No.: 17008203

1.2V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	7.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA600BP4

Item No.: 17006403

1.2V AAA



Packaging		Gross Weight:
Blister	4 pcs/pack	7.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA600BP2

Item No.: 17006203

1.2V AAA



Packaging		Gross Weight:
Blister	2 pcs/pack	7.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)

Ni-MH Rechargeable Batteries

Camelion Ni-MH Rechargeable batteries offer high capacity performance, up to 1000 recharge cycles, and because they are used again and again they help reduce environmental waste. High drain devices such as music players and digital cameras are supported, therefore, you can hear more songs and take more photos.





NH-D10000BP2

Item No.: 17010220

1.2V D



4 260033 151865

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	48 packs/carton

Gross Weight:

17.0 kg

Volume:

0.0244 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	165(L) x 135(W) x 105(H)
Outer Carton (cm)	43.5(L) x 35.0(W) x 16.0(H)



NH-D7000BP2

Item No.: 17070220

1.2V D



4 260033 151520

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	60 packs/carton

Gross Weight:

19.0 kg

Volume:

0.0234 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	160(L) x 112(W) x 97(H)
Outer Carton (cm)	34.0(L) x 27.5(W) x 25.0(H)



NH-D2500BP2

Item No.: 17025220

1.2V D



4 260033 151537

Packaging

Blister	4 pcs/pack
Inner Box	12 packs/box
Outer Carton	60 packs/carton

Gross Weight:

11.2 kg

Volume:

0.0234 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	160(L) x 112(W) x 97(H)
Outer Carton (cm)	34.0(L) x 27.5(W) x 25.0(H)



NH-C3500BP2

Item No.: 17035214

1.2V C



4 260033 151544

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	96 packs/carton

Gross Weight:

16.8 kg

Volume:

0.0248 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NH-C2500BP2

Item No.: 17035214

1.2V C



4 260033 151551

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	96 packs/carton

Gross Weight:

16.0 kg

Volume:

0.0248 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NH-9V250BP1

Item No.: 17025122

9V (8.4V)



4 260033 151810

Packaging

Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:

12.3 kg

Volume:

0.0385 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)



NH-9V200BP1

Item No.: 17020122

9V (8.4V)



4 260033 151728

Packaging

Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:

11.6 kg

Volume:

0.0385 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)

Lithium-Ion Rechargeable Batteries

With **Camelion Lithium-ion batteries**, which impress with their high energy density and consistent performance, you can rely on a dependable power source. Designed for demanding applications, these batteries offer long-lasting use. They are versatile and deliver stable performance even under varying conditions. Camelion lithium-ion batteries provide an efficient and reliable power supply for everyday use and beyond.





Lithium-Ion Rechargeables

- Suitable for up to 500 charge-discharge cycles
- Wider operating temperature range
- Retains 85% of capacity for over 6 months



ICR18650F-25 Button Top BP1

Item No.: 17800250



3.7V 2500

4 260216 458514

Packaging

Blister	1 pc/pack
Inner Box	12 packs/box
Outer Carton	120 packs/carton

Gross Weight:

6.5 kg

Volume:

0.0302 cbm

Dimensions

Blister (mm) 85(W) x 120(H) x 20(D)

Inner Box (mm) 175(L) x 117(W) x 100(H)

Outer Carton (cm) 37.1(L) x 37(W) x 22(H)



ICR18650F-26 Flat Top bulk

Item No.: 17802600



3.7V 2600

4 260216 456831

Packaging

Inner Box	24 packs/box
Outer Carton	216 packs/carton

Gross Weight:

12.05 kg

Volume:

0.0128 cbm

Dimensions

Inner Box (mm) 120(L) x 80(W) x 70(H)

Outer Carton (cm) 32(L) x 15(W) x 26(H)



ICR18650F-22 Flat Top bulk

Item No.: 17802200



3.7V 2200

4 260216 456824

Packaging

Inner Box	24 packs/box
Outer Carton	216 packs/carton

Gross Weight:

11.9 kg


Volume:

0.0128 cbm

Dimensions

Inner Box (mm) 120(L) x 80(W) x 70(H)

Outer Carton (cm) 33(L) x 15(W) x 26(H)



Camelion®

Battery Chargers

Environmentally conscious, fast and secure. Camelion chargers are designed to meet today's needs and standards. Whether ultra-fast, super-fast, solar powered or charge multiple batteries simultaneously. Camelion chargers save time, money and protect the environment.

Battery Charger

Camelion Battery Chargers offer ultimate charging speed. They are decreasing recharge time to one hour to save you time and money.



BC-1091

Charges:

1-2 × AAA
1-2 × AA
1 × 9V

Ni-MH



Different plug types
for different countries



SPECIFICATIONS

Input: 100-240V ~ 50/60Hz

Output: 2 x (1.4V ~ 200 mA) AA/AAA Size

1 x (9V ~ 25 mA) 9V Size

MAIN FEATURES

- 3 Independent Charging Channels
- 12 Hours Timer Control
- Reverse Polarity Protection
- Slim and Portable
- Built-in Switching Adaptor for Worldwide Use
- LED Indicators

Red	Charging
Off	Fully charged

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	12 h
Ni-MH AA 2000 mAh	12 h
Ni-MH AA 1500 mAh	10.5 h
Ni-MH AAA 800 mAh	5 h
Ni-MH 9V 200 mAh	9.5 h

Available Colors

 Black

BARCODE

BC-1091-DB
Item No.: 20001091



4 260216 458224

PACKAGING



Blister		
Plug:	TUV	UL
Weight (g)	62	75.6
Dimensions (W) x (H) x (D) (mm)	87 x 172 x 50	87 x 172 x 50
Inner Box		
Packs / Inner Box	32	32
Net Weight (kg)	1.98	2.42
Gross Weight (kg)	2.42	3.07
Dimensions (L) x (W) x (H) (cm)	39.5 x 37.5 x 18	39.5 x 37.5 x 18
Outer Carton		
Packs / Carton	64	64
Net Weight (kg)	4.0	4.84
Gross Weight (kg)	7.5	6.54
Dimensions (L) x (W) x (H) (cm)	41 x 39 x 39	41 x 39 x 39
Volume (m³)	0.0624	0.0624

BC-1010B

Charges:

2 or 4 × AAA

Ni-MH

2 or 4 × AA

Ni-Cd



Different plug types
for different countries



SPECIFICATIONS

Input: 100-240V ~ 50/60Hz 4W Max.

Output: 2 x (2.8V $\approx$ 200mA) AA/AAA Size

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Worldwide Voltage
- 2 LED Indicators

Red	Charging or charge completed
-----	------------------------------

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	17 h
Ni-MH AA 2000 mAh	14 h
Ni-MH AA 1500 mAh	11 h
Ni-MH AAA 800 mAh	5 h
Ni-Cd AA 1000 mAh	6 h
Ni-Cd AAA 300 mAh	2 h

AVAILABLE COLORS

 Black


BARCODE

BC-1010B-DB
Item No.: 20101010



4 260216 456473

PACKAGING



Blister	
Plug:	TUV
Weight (g)	118.2
Dimensions (W) x (H) x (D) (mm)	125 x 204 x 76
Inner Box	
Packs / Inner Box	8
Net Weight (kg)	0.95
Gross Weight (kg)	1.3
Dimensions (L)x (W) x (H) (cm)	49.5 x 23.5 x 14
Outer Carton	
Packs / Carton	32
Net Weight (kg)	3.78
Gross Weight (kg)	5.5
Dimensions (L)x (W) x (H) (cm)	50.5 x 48.5 x 30
Volume (m³)	0.0735

BC-1092M

Charges:

- 1-4 × AAA
- 1-4 × AA
- 1-2 × 9V

Ni-MH



Different plug types
for different countries



SPECIFICATIONS

Input: 100-240V~ 50/60 Hz 10W

Output: AA: 1.2V $\approx$ 0.5A)
AAA: 1.2V $\approx$ 0.25A)
9V: 9V $\approx$ 0.03A)

MAIN FEATURES

- 6 independent charging channels
- Intelligent charger with 6 levels of safety protection
 - △V cut off
 - Reverse polarity protection
 - Over voltage protection
 - Short circuit protection
 - Safety timer control protection
 - Defective and non-rechargeable battery detection
- LED charging indicators

Red	Charging
Green	Charge completed
Red & Green flashing	Error detected

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	6 h
Ni-MH AA 2000 mAh	5 h
Ni-MH AA 1500 mAh	3.5 h
Ni-MH AAA 1100 mAh	5.5 h
Ni-MH AAA 800 mAh	3 h
Ni-MH 9V 200 mAh	8 h

AVAILABLE COLORS

 Black

BARCODE

BC-1092M-DB
Item No.: 20001092



4 260216 458507

PACKAGING



Blister	
Plug:	EU
Weight (g)	137
Dimensions (W) x (H) x (D) (mm)	125×200×69
Inner Box	
Packs / Inner Box	8
Net Weight (kg)	1.1
Gross Weight (kg)	1.3
Dimensions (L) x (W) x (H) (cm)	43 x 22 x 13.5
Outer Carton	
Packs / Carton	16
Net Weight (kg)	2.20
Gross Weight (kg)	2.90
Dimensions (L) x (W) x (H) (cm)	44.5 x 23.5 x 29.5
Volume (m³)	0.0308

LBC-321

Charges:

1-4 ×
1.2V
3.2V
3.7V
3.85V

Ni-MH

Ni-Cd

Li-Fe

Li-ion



SPECIFICATIONS

Input: USB-C 5V $\equiv$ 2A

Output:

Battery Voltage:

1.2V, 3.2V, 3.7V, 3.85V

Charging Current:

1 PCS: 2.0A(4th Slot Only)

2 PCS: 1.0A / 0.7A / 0.5A

3 PCS: 0.7A / 0.5A

4 PCS: 0.5A

Mobile Power Function:

Output: 5V $\equiv$ 1A (Request lithium battery at the 4th slot)

MAIN FEATURES

- 4 Independent Charging Channels
- Suitable for charging 1-4 pcs AA / AAA / Li-ion batteries
- Automatically identifies battery type
- Multiple safety protections
- Capable of activating 0 Volt batteries
- Four selectable charging currents
- Mobile power function
- LED Charging Indicators

CHARGING TIMES

When charging Current is 500mA

Type of Battery	Charging Times (Appr.)
26650 Lithium-ion 5000 mAh	12 h
18650 Lithium-ion 2500 mAh	6 h
18650 Lithium-ion 2000 mAh	5 h
18650 Lithium-ion 1500 mAh	4 h
17335 Lithium-ion 700 mAh	100 min
Ni-MH AA 2000 mAh	5 h
Ni-MH AAA 1000 mAh	2.5 h

AVAILABLE COLORS

 Black

BARCODE

LBC-321-HCB
Item No.: 20000321



4 260216 457135

PACKAGING



Blister

Plug:	/
Weight (g)	155
Dimensions (W) x (H) x (D) (mm)	94 x 165 x 30

Inner Box

Packs / Inner Box	12
Net Weight (kg)	1.9
Gross Weight (kg)	2.1
Dimensions (L) x (W) x (H) (cm)	28 x 20.5 x 10.5

Outer Carton

Packs / Carton	48
Net Weight (kg)	7.5
Gross Weight (kg)	8.6
Dimensions (L) x (W) x (H) (cm)	44 x 30 x 26
Volume (m³)	0.0343

LBC-305

Charges:

1-2 × 

Li-ion



SPECIFICATIONS

Input: 5V $\pm$ 1A

Output: 3.7V $\pm$ 0.5A

Caution: Specialized charger for 18650 Lithium-ion batteries

MAIN FEATURES

- 2 Independent Charging Channels
- Suitable for flat-top and high top 18650 Li-ion Batteries
- Reverse Polarity Protection
- Overcharge Protection
- Short-circuit Protection
- LED Charging Indicators

Red	Charging
Green	Charge completed

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
18650 Lithium-ion 2600 mAh	6.5 h
18650 Lithium-ion 2200 mAh	5.5 h
18650 Lithium-ion 1800 mAh	4.5 h
18650 Lithium-ion 1500 mAh	4 h

AVAILABLE COLORS

 Black

BARCODE



PACKAGING



Blister	
Plug:	/
Weight (g)	108
Dimensions (W) x (H) x (D) (mm)	95 x 176 x 64
Inner Box	
Packs / Inner Box	10
Net Weight (kg)	0.84
Gross Weight (kg)	1.2
Dimensions (L) x (W) x (H) (cm)	48.6 x 18.1 x 10.5
Outer Carton	
Packs / Carton	40
Net Weight (kg)	3.36
Gross Weight (kg)	4.78
Dimensions (L) x (W) x (H) (cm)	49.6 x 37.8 x 23
Volume (m³)	0.0431

BC-1056T

Charges:

1-2 x 
1-2 x 

Ni-MH

Ni-Cd



SPECIFICATIONS

Input: Micro-USB 5V $\pm$ 1A 5W Max

Output:

AA: 2.8V $\pm$ 0.3A

AAA: 2.8V $\pm$ 0.12A

MAIN FEATURES

- 2 independent charging channels
- Suitable for charging 1-2 AA/AAA rechargeable batteries
- ΔV detection
- Automatic shut-off after 8 hours
- Reverse polarity protection
- Overvoltage protection
- USB-C Port
- LED charging indicators

Green flashing	Charging
Green	Charging complete

CHARGING TIMES

Type of Battery	Charging times (approx.)
AA NI-MH 2500mAh	9 h
AA NI-MH 2000mAh	7 h
AA NI-MH 1500mAh	5 h
AAA NI-MH 1000mAh	8 h
AAA NI-MH 800mAh	6 h
AAA NI-MH 600mAh	5 h
AAA NI-CD 300mAh	3 h

AVAILABLE COLORS

 White

BARCODE

BC-1056T-HCB (Previously BC-0806T-HCB)
Item No.: 20000806



0 849198 008555

PACKAGING



Box	
Plug:	/
Weight (g)	30
Dimensions (W) x (H) x (D) (mm)	90 x 35 x 23.3
Inner Box	
Packs / Inner Box	48
Net Weight (kg)	2.5
Gross Weight (kg)	2.6
Dimensions (L) x (W) x (H) (cm)	33 x 19.5 x 13
Outer Carton	
Packs / Carton	192
Net Weight (kg)	10
Gross Weight (kg)	11.5
Dimensions (L) x (W) x (H) (cm)	40.5 x 34 x 28.5
Volume (m ³)	0.0392

BC-0905A

Charges:

1-4 × AAA
1-4 × AA

Ni-MH

Ni-Cd



UK



SPECIFICATIONS

Input: AC 100/240V ~ 50/60Hz 10W max.

Output: 4x AA: 500mA (2x AA 1000mA)

4x AAA: 300mA (2x AAA: 600mA)

MAIN FEATURES

- 4 independent charging channels
- Suitable for charging 1-4 AA/AAA rechargeable batteries
- Automatic shut-off after 3.5/7 hours.
- 6-fold safety: individual channel monitoring with DV detection, protection against overheating, polarity reversal, overvoltage and short circuits
- Once fully charged, the device switches to trickle charging
- LED charging indicators

Red	Charging
Flashing	Defective and non-rechargeable cells / short circuit
Green	Charging complete

CHARGING TIMES

Type of Battery	Charging times (approx.) 1-2 batteries	Charging times (approx.) 3-4 batteries
AA Ni-MH 2700mAh	3 h	6 h
AA Ni-MH 2000mAh	2.5 h	4.5 h
AA Ni-MH 1500mAh	2 h	3.5 h
AAA Ni-MH 800mAh	100 min	3 h
AA Ni-Cd 1000mAh	70 min	2.5 h
AAA Ni-Cd 300mAh	40 min	70 min

AVAILABLE COLORS

Black

BARCODE

BC-0905A-DB
Item No.: 20001905



PACKAGING



Blister	
Plug:	UK
Weight (g)	144
Dimensions (W) x (H) x (D) (mm)	125 x 205 x 70
Inner Box	
Packs / Inner Box	16
Net Weight (kg)	2.8
Gross Weight (kg)	3
Dimensions (L) x (W) x (H) (cm)	48.5 x 22.5 x 27
Outer Carton	
Packs / Carton	32
Net Weight (kg)	4.7
Gross Weight (kg)	6.3
Dimensions (L) x (W) x (H) (cm)	50 x 47 x 29
Volume (m³)	0.0682

BC-0907

Charges:

1-4 x 

Ni-MH

1-4 x 

Ni-Cd



SPECIFICATIONS

Input: AC/DC Adapter 100 - 240V
50/60Hz, Car/Vehicle-Adapter 12V DC

Output: 12V DC
4 x (1,4V 2200mA) AA,
4 x (1,4V 800mA) AAA

MAIN FEATURES

- 4 independent charging channels
- Suitable for charging AA / AAA rechargeable batteries
- ΔV detection
- Safety shut-off after 3 hours
- Overheating, polarity reversal, overvoltage and short-circuit protection
- Capacity loss is minimised by controlled reduction of leakage currents during the charging process
- Battery refresh function
- Trickle charge
- LED display
- Continuous pulse charging for efficient charging

CHARGING TIMES

Type of Battery	Charging times (approx.)
AA NI-MH 2700mAh	80 min
AA NI-MH 2000mAh	66 min
AA NI-MH 1500mAh	49 min
AAA NI-MH 600mAh	39 min
AA NI-Cd 800mAh	26 min
AAA NI-Cd 300mAh	20 min

AVAILABLE COLORS


 Black

BARCODE

BC-0907-DB
Item No.: 20001907



PACKAGING



Blister

Plug:	UK
Weight (g)	278
Dimensions (W) x (H) x (D) (mm)	112 x 188 x 67

Inner Box

Packs / Inner Box	8
Net Weight (kg)	2.3
Gross Weight (kg)	2.5
Dimensions (L)x (W) x (H) (cm)	230 x 138 x 435

Outer Carton

Packs / Carton	16
Net Weight (kg)	8.8
Gross Weight (kg)	10.45
Dimensions (L)x (W) x (H) (cm)	45 x 30 x 47.5
Volume (m³)	0.0641

LBC-313-1

Charges:

1-2 × AAA
1-2 × AA

Ni-MH
Ni-Cd
Li-ion



SPECIFICATIONS

Input: DC 5V $\pm$ 1A

Charging current: 2 x (1,4V $\pm$ 0,7A) max. (1,2V NH/NC battery)

4,2V $\pm$ 0,7A max. (3,7V Li-ion battery)

8,4V $\pm$ 0,45A max. (7,4V Li-ion battery)

Trickle charge current: 70mA

MAIN FEATURES

- Charges most 1.2V, 3.7V and 7.4V Li-ion / Ni-MH / Ni-Cd batteries
- Automatic voltage / polarity selection
- Automatic detection of faulty batteries
- Safety shut-off (5 hours for Ni-MH / Ni-Cd or 10 hours for Li-ion)
- USB output port

Charging	Green LED flashes (once per second); red LED is on
Charging complete	The green and red LEDs remain lit
Error	The red and green LEDs flash and charging stops

CHARGING TIMES

Type of Battery	Capacity (mAh)	Charging times (approx.)
NP-30 3,7V Li-Ion	1000	2 h
CGR-320 7,4V Li-Ion	3200	5.5 h
14500 Li-Ion	1000	2 h
AA Ni-MH	1500	2.5 h
AAA Ni-MH	800	1.5 h
AA Ni-CD	1000	2 h
AAA Ni-CD	300	30 min

AVAILABLE COLORS

Black


BARCODE

LBC-313-1-DB
Item No.: 20003131



4 260216 456756

PACKAGING



Blister	
Plug:	USB
Weight (g)	152.6
Dimensions (W) x (H) x (D) (mm)	132 x 190 x 55
Inner Box	
Packs / Inner Box	16
Net Weight (kg)	1.5
Gross Weight (kg)	1.831
Dimensions (L) x (W) x (H) (cm)	25.5 x 33 x 14.2
Outer Carton	
Packs / Carton	32
Net Weight (kg)	4.85
Gross Weight (kg)	6.25
Dimensions (L) x (W) x (H) (cm)	24.8 x 56.5 x 30
Volume (m³)	0.0420

BC-1009

Charges:

1-2 x AAA

Ni-MH

1-2 x AA

Ni-Cd



Different plug types
for different countries



SPECIFICATIONS

Input: 100-240V ~ 50/60Hz

Output: 2 x (1.4V = 150 mA)

MAIN FEATURES

- Charges 1-2 AA/AAA Ni-MH/Ni-Cd rechargeable batteries
- 2 independent charging channels
- Reverse polarity protection
- V JumpStart: Batteries with a voltage close to zero are usually no longer usable – this function restores their charging capability so that you can use them again and again.
- Low leakage current
- Low charging current for longer battery life
- Includes 2x Ni-MH AA 2300mAh batteries
- LED charge indicator

Red	Charging
Off	Charging complete

CHARGING TIMES

Type of Battery	Charging times (approx.)
AA NI-MH 2700mAh	23 h
AA NI-MH 2000mAh	18 h
AA NI-MH 1500mAh	14 h
AAA NI-MH 800mAh	8 h
AA NI-Cd 1000mAh	9 h
AAA NI-Cd 300mAh	2.5 h

AVAILABLE COLORS

Black

BARCODE

BC-1009-DB
Item No.: 20101009



PACKAGING



Blister		
Plug:	TUV	UL
Weight (g)	75	65
Dimensions (W) x (H) x (D) (mm)	90 x 172 x 72	90 x 172 x 50
Inner Box		
Packs / Inner Box	16	16
Net Weight (kg)	1.2	1.04
Gross Weight (kg)	1.6	1.35
Dimensions (L)x (W) x (H) (cm)	41.5 x 20 x 22.5	36 x 20 x 20
Outer Carton		
Packs / Carton	32	32
Net Weight (kg)	2.4	2.08
Gross Weight (kg)	3.5	3.2
Dimensions (L)x (W) x (H) (cm)	43 x 42 x 24.5	42 x 37.5 x 22
Volume (m³)	0.0443	0.0347

BC-1012

Charges:

1-4 × 
1-4 × 

Ni-MH

Ni-Cd



SPECIFICATIONS

Input: 100-240V~50/60Hz 5W

Output: 1.4V ---

AA : 400 mA (1 - 2 batteries); 260 mA (3 batteries); 200 mA (4 batteries)

AAA : 200 mA (1 - 2 batteries); 130 mA (3 batteries); 100 mA (4 batteries)

MAIN FEATURES

- Charges up to 4 AA / AAA Ni-MH / Ni-Cd rechargeable batteries
- Multi-band LCD display (shows charging status, faulty cells)
- 4 independent charging channels
- Reverse polarity protection
- Continuous pulse charging for efficient charging
- ΔV detection
- Overvoltage protection
- Short-circuit protection
- Safety shut-off (timer control)
(1-2 batteries after 6 hours, 3 batteries after 9 hours and 4 batteries after 12 hours)

CHARGING TIMES

Type of Battery	Charging times (approx.) 1 - 2 batteries	Charging times (approx.) 4 batteries
AA Ni-MH 2700mAh	6 h	12 h
AA Ni-MH 2000mAh	6 h	12 h
AAA Ni-MH 1000mAh	6 h	12 h
AAA Ni-MH 800mAh	4.8 h	9.6 h
AAA Ni-Cd 1100mAh	3.3 h	6.6 h
AAA Ni-Cd 300mAh	1.8 h	3.6 h

AVAILABLE COLORS

 White

BARCODE

BC-1012-DB
Item No.: 20101012



PACKAGING



Blister	
Plug:	TUV
Weight (g)	118.2
Dimensions (W) x (H) x (D) (mm)	125 x 205 x 75
Inner Box	
Packs / Inner Box	8
Net Weight (kg)	0.95
Gross Weight (kg)	1.3
Dimensions (L) x (W) x (H) (cm)	49.5 x 23.5 x 14
Outer Carton	
Packs / Carton	32
Net Weight (kg)	3.78
Gross Weight (kg)	5.5
Dimensions (L) x (W) x (H) (cm)	50.5 x 48.5 x 30
Volume (m³)	0.0735

BC-1093

Charges:

1-4 × AAA
1-4 × AA

Ni-MH



SPECIFICATIONS

Input: 220-240V~ 50Hz, 5W

Output: 4 × (1.2V $\pm$ 0.14A) AA/AAA

MAIN FEATURES

- Charges 1-4 AA/AAA Ni-MH rechargeable batteries
- 4 independent charging channels
- Reverse polarity protection
- Low charging current for longer battery life
- LED status indicator

Red Charging or Charging complete

CHARGING TIMES

Type of Battery	Charging times (approx.)
AA NI-MH 2500mAh	21 h
AA NI-MH 2000mAh	18 h
AA NI-MH 1500mAh	13 h
AA NI-MH 1200mAh	10 h
AAA NI-MH 1100mAh	9 h
AAA NI-MH 800mAh	7 h
AAA NI-MH 600mAh	5 h

AVAILABLE COLORS

Black

BARCODE

BC-1093-DB
Item No.: 20001093



PACKAGING



Blister

Plug:	TUV
Weight (g)	170
Dimensions (W) x (H) x (D) (mm)	66 x 110 x 32

Inner Box

Packs / Inner Box	10
Net Weight (kg)	2.0
Gross Weight (kg)	2.4
Dimensions (L)x (W) x (H) (cm)	30.5 x 25.5 x 14

Outer Carton

Packs / Carton	20
Net Weight (kg)	4.0
Gross Weight (kg)	5.35
Dimensions (L)x (W) x (H) (cm)	41.5 x 27 x 32
Volume (m³)	0.036

BC-1002F

Charges:

1-4 × AAA
1-4 × AA

Ni-MH
Ni-Cd



SPECIFICATIONS

Input: 5V $\pm$ 1A 5W Max

Output:

4 x (1.4V $\pm$ 0.5A) AA

4 x (1.4V $\pm$ 0.25A) AAA

MAIN FEATURES

- 4 Independent Charging Channels
- Trickle charging function
- 5-Level Charge Protection:
 Δ V cut off, Timer Control Protection (6 hours),
 Reverse Polarity Protection, Short Circuit Protection,
 Defective and Non-rechargeable battery detection
- Easy to Monitor LED Charge Indicators

Red LED on	Charging
Green LED on	Charging complete
Red LED flashing	Short-circuit, defective or bad battery in charger

CHARGING TIMES

Type of Battery	Charging times (approx.)
AA NI-MH 2500mAh	6 h
AA NI-MH 2000mAh	5 h
AA NI-MH 1500mAh	3.5 h
AAA NI-MH 1000mAh	5 h
AAA NI-MH 800mAh	4 h
AAA NI-MH 600mAh	3 h

AVAILABLE COLORS

☐ White

BARCODE

BC-1002F-DB
Item No.: 2001002F



PACKAGING



Blister	
Plug:	/
Weight (g)	196
Dimensions (W) x (H) x (D) (mm)	125 x 205 x 70
Inner Box	
Packs / Inner Box	16
Net Weight (kg)	3.14
Gross Weight (kg)	3.68
Dimensions (L) x (W) x (H) (cm)	46 x 24.5 x 27
Outer Carton	
Packs / Carton	32
Net Weight (kg)	6.28
Gross Weight (kg)	7.76
Dimensions (L) x (W) x (H) (cm)	51 x 47 x 29
Volume (m³)	0.0695

Battery Charging Table (1/2)

Directions:

The table below shows the charging times for various Camelion chargers and batteries.

To find the charging time, select the relevant column for the charger and the corresponding row for the battery. The charging time is shown at the intersection. *Example: BC-0806 + NH-AA2000mAh = 7 hours.*

Camelion Model	BC-1093	BC-1009A	BC-1010B	BC-1012		BC-1001A	BC-1091	BC-0806	BC-1002A
				1-2 Zellen	4 Zellen				
Timer Control	NA	NA	NA	After 6 h	After 12 h	After 12 h	Voltage Cut-Off	After 10 h	After 8 h
Ni-MH Batteries									
NH-C2500	NA	NA	NA	NA	NA	NA	NA	NA	NA
NH-AA2700	23 h	23 h	17 h	T/C 6 h	T/C 12 h	T/C 12 h	T/C 12 h	T/C 10 h	T/C 8 h
NH-AA2600	22 h	21 h	16 h	T/C 6 h	T/C 12 h	T/C12 h	T/C12 h	T/C 10 h	T/C 8 h
NH-AA2500	21 h	20 h	16 h	T/C 6 h	T/C 12 h	T/C 12 h	T/C 12 h	9 h	T/C 8 h
NH-AA2300	20 h	18 h	16 h	T/C 6 h	T/C 12 h	T/C 12 h	T/C 12 h	8 h	T/C 8 h
NH-AA2200	19 h	17 h	15 h	T/C 6 h	T/C 12 h	T/C 12 h	T/C 12 h	8 h	T/C 8 h
NH-AA2000	18 h	16 h	14 h	T/C 6 h	T/C 12 h	T/C 12 h	T/C 12 h	7 h	T/C 8 h
NH-AA1800	15 h	15 h	13 h	5.5 h	11 h	11 h	T/C 12 h	6 h	7 h
NH-AA1500	13 h	14 h	11 h	4.5 h	9 h	9 h	11 h	5 h	6 h
NH-AAA1100	9 h	9 h	6 h	6 h	12 h	6.5 h	6 h	9 h	T/C 8 h
NH-AAA1000	8 h	8 h	5.5 h	6 h	12 h	6 h	5.5 h	8 h	T/C 8 h
NH-AAA900	8 h	7 h	5 h	5.5 h	11 h	5.5 h	5 h	7 h	7 h
NH-AAA800	7 h	6 h	5 h	5 h	10 h	5 h	5 h	6 h	6 h
NH-AAA600	5 h	5 h	3.5 h	3.5 h	7 h	3.5 h	3.5 h	5 h	5 h
NH-9V250	NA	NA	NA	NA	NA	12 h	12 h	NA	NA
NH-9V200	NA	NA	NA	NA	NA	10 h	9.5 h	NA	NA
Ni-Cd Batteries									
Ni-Cd-AA1100	NA	9 h	6 h	6 h	12 h	6.5 h	5.5 h	9 h	8 h
Ni-Cd-AA1000	NA	8 h	5.5 h	5.5 h	12 h	6 h	5 h	8 h	8 h
Ni-Cd-AA800	NA	6 h	5 h	5 h	10 h	5 h	4 h	6 h	6 h
Ni-Cd-AAA300	NA	2.5 h	2 h	2 h	3.5 h	2 h	3 h	3 h	2.5 h

Notes:

NA – Not applicable.

T/C: The charger has a timer control. This is the cut-off time, regardless of whether the battery is fully charged or not.

All data is based on the latest Camelion laboratory tests. Charging times may vary depending on temperature, product age, voltage and other conditions.

This data sheet is for reference purposes only and is intended to help customers select the right product. The content does not constitute a guarantee.

For information on specific Camelion products, please visit our website www.camelion.com or contact us directly at info@camelion.com.

Battery Charging Table (2/2)

Camellion Model	BC-1002F	BC-1092M	BC-0905A		BC-0907	LBC-305	LBC-313-1	LBC-321			
			1-2 Cells	3-4 Cells				500mA	700mA	1000mA	2000mA
Timer Control	After 6 h	Voltage Cut-Off	Voltage Cut-Off		Voltage Cut-Off	NA	Li-Ion: 10 h Ni-MH/Ni-Cd: 5 h	NA			
Ni-MH Batteries											
NH-C2500	NA	NA	NA	NA	NA	NA	NA	7 h	5 h	3.5 h	90 min
NH-AA2700	T/C 6 h	7 h	3 h	6.5 h	90 min	NA	T/C 5 h	7 h	5 h	3.5 h	90 min
NH-AA2600	T/C 6 h	6 h	3 h	6 h	85 min	NA	4.5 h	7 h	5 h	3.5 h	90 min
NH-AA2500	T/C 6 h	6 h	3 h	6 h	80 min	NA	4 h	7 h	5 h	3.5 h	90 min
NH-AA2300	5.5 h	5.5 h	2.5 h	5.5 h	75 min	NA	4 h	6 h	4.5 h	3 h	85 min
NH-AA2200	5.5 h	5 h	2.5 h	5 h	70 min	NA	3.5 h	6 h	4.5 h	3 h	85 min
NH-AA2000	5 h	5 h	2.5 h	4.5 h	65 min	NA	3.5 h	5.5 h	4 h	2.5 h	70 min
NH-AA1800	4.5 h	4.5 h	2 h	4 h	60 min	NA	3 h	5 h	4 h	2.5 h	65 min
NH-AA1500	3.5 h	3.5 h	2 h	3.5 h	50 min	NA	2.5 h	4 h	3 h	2 h	55 min
NH-AAA1100	5.5 h	5.5 h	2 h	4.5 h	100 min	NA	2 h	2.5 h	100 min	70 min	35 min
NH-AAA1000	5 h	5 h	2 h	4 h	90 min	NA	100 min	2.5 h	100 min	70 min	35 min
NH-AAA900	4.5 h	4.5 h	2 h	3.5 h	80 min	NA	90 min	2 h	90 min	65 min	35 min
NH-AAA800	4 h	3 h	100 min	3 h	70 min	NA	80 min	2 h	90 min	65 min	35 min
NH-AAA600	3 h	2 h	70 min	2.5 h	55 min	NA	60 min	90 min	60 min	45 min	20 min
NH-9V250	NA	10 h	NA	NA	NA	NA	NA	NA			
NH-9V200	NA	8 h	NA	NA	NA	NA	NA	NA			
Li-Ion Batteries											
NP-30 1000mAh	NA	NA	NA	NA	NA	NA	2 h	NA			
CGR-320 3200mAh	NA	NA	NA	NA	NA	NA	5.5 h	NA			
LI-14500 1000mAh	NA	NA	NA	NA	NA	NA	2 h	2.5 h	2 h	70 min	40 min
LI-26650 5000mAh	NA	NA	NA	NA	NA	NA	NA	12 h	9 h	6 h	3 h
LI-18650 2600mAh	NA	NA	NA	NA	NA	6.5 h	NA	6 h	4.5 h	3 h	100 min
LI-18650 2500mAh	NA	NA	NA	NA	NA	6 h	NA	6 h	4 h	3 h	90 min
LI-18650 2200mAh	NA	NA	NA	NA	NA	5.5 h	NA	5 h	3.5 h	2.5 h	80 min
LI-18650 2000mAh	NA	NA	NA	NA	NA	5 h	NA	5 h	3.5 h	2.5 h	70 min
LI-18650 1800mAh	NA	NA	NA	NA	NA	4.5 h	NA	4.5 h	3 h	2 h	60 mn
LI-18650 1500mAh	NA	NA	NA	NA	NA	4 h	NA	4 h	2.5 h	100 min	50 min
LI-17335 700mAh	NA	NA	NA	NA	NA	NA	70 min	100 min	70 min	80 min	25 min
Ni-Cd Batteries											
Ni-Cd-AA1100	5.5 h	2.5 h	2 h	4.5 h	100 min	NA	2 h	2.5 h	100 min	70 min	35 min
Ni-Cd-AA1000	5 h	6 h	2 h	4 h	90 min	NA	100 min	2.5 h	100 min	70 min	35 min
Ni-Cd-AA800	4 h	2 h	100 min	3 h	70 min	NA	80 min	2 h	90 min	60 min	30 min
Ni-Cd-AAA300	1.5 h	2 h	40 min	70 min	30 min	NA	30 min	70 min	30 min	20 min	10 min




Camelion®

Displays & Merchandise

From the Latin term *Promotio*, Promotion means idea or highlighting. With our promotional items we want to support sales at the POS (Point of Sale), promote sales and to leave a lasting Impression.

Metal Displays

Camelion Metal Displays offer maximum durability and high-end presentation for optimal sales. If you want your Camelion products to stand out permanently on the shop floor, these premium sales accessories are your best choice. For the latest options, please contact us at info@camelion.com.



WCD-02  Item No.: 50100006	WCD-03  Item No.: 50100007	WCD-05  Item No.: 50100010	Metal Counter Display WCD-02 33 x 43 x 22cm (6 Hooks) WCD-03 33 x 58 x 22cm (9 Hooks) WCD-05 44 x 66 x 20cm (12 Hooks) • Sturdy steel construction for long use • Easy to see, easy to reach • Light weight for easy portability • Available in Metal Black
--	--	--	--



Metal Counter Display

WCD-06

- Durable furnace-tested metal finish
- 20 Racks (L = 15 cm)
- Simple and lightweight design
- Dimensions: L x W x H: 35 x 35 x 160 cm
- Item No.: 50100015

Qty for Each Hook:

AAA Size: 10 packs
 AA Size: 7 packs
 9V Size: 6 packs
 C Size: 5 packs
 D Size: 4 packs



Metal Floor Display

MFD-03

- Professional, slim and elegant design in black
- 36 hooks, 2 trays
- Up to 300 to 400 holes (ideal for 20 to 30 large / medium-sized blisters)
- Dimensions: 180 x 34 x 60,5 cm
- Item No.: 50100001



Metal Counter Display

MFD-02

- Sturdy perforated wall counter display made of brushed steel
- Easy to assemble (no screws or hammering required)
- Professional design
- Included in delivery: 36 hooks
- Assembly instructions included
- Dimensions: W x H x D: 80 x 180 x 61 cm
- Item No.: 50100006



Metal Hook Rack for Batteries with 5 Hooks

HW-01

- Hanging display
- 5 Metal Hooks
- W x H x D: 10 x 75 x 8 cm
- Item No.: 50100004



Plastic Hook Rack for Batteries, transparent with 12 hooks

HW-04

- Hanging display
- 12 Clear Plastic Hooks
- W x H: 7.5 x 62 cm
- Item No.: 50100009

Display Box

Camelion Display Boxes offer maximum impact in minimum space for optimal sales. If you want your Camelion products to stand out, these essential sales accessories are your best choice. For the latest options, please contact us at info@camelion.com.





DR-16 Promotion Display "8+4 free"

- Plus Alkaline floor display for promotion blister "8+4 free" (AA I AAA)
- Height (total) 1,17m + pallet
- Width 0,55m
- Depth 0,38m
- Material Cardboard
- Surface shiny
- 12x grids = 12 storage compartments
- 48x LR6 „8+4 free“ (8 storage compartments)
6 blister per storage compartment
- 36 x LR03 „8+4 free“ (4 storage compartments)
84 blister total
- Item No.: 50100027



Plus Alkaline LR6 BP8+4
Item No.: 110 84006
EAN: 4260216453915
Carton: 48 / Inner Box: 6



4 260216 453915



Plus Alkaline LR03 BP8+4
Item No.: 110 84003
EAN: 4260216453922
Carton: 72 / Inner Box: 6



4 260216 453922



DR-16 Promotion Display "24"

- Plus Alkaline floor display for plastic box "24" (AA I AAA)
- Height (total) 1,17m + pallet
- Width 0,55m
- Depth 0,38m
- Material Cardboard
- Surface shiny
- 32x grids = 32 storage compartments
- 60 x LR6 „24“ (20 storage compartments)
3 boxes per storage compartment
- 48 x LR03 „24“ (12 storage compartments)
4 boxes per storage compartment
- 108 boxes total
- Item No.: 50100028



Plus Alkaline LR6 PB24
Item No.: 111 02406
EAN: 4260033150455
Carton: 30 / Inner Box: 6



4 260033 150455



Plus Alkaline LR03 PB24
Item No.: 111 02403
EAN: 4260033150462
Carton: 30 / Inner Box: 6



4 260033 150462



DR-16 Promotion Display "40"

- Plus Alkaline floor display for promotion shrink "SP40" (AA I AAA)
- Height (total) 1,17m + pallet
- Width 0,57m
- Depth 0,38m
- Material Cardboard
- Surface shiny
- 126 x LR6/AA SP40
3 Rows x 6 x 7 Packs = 126 Packs
- 64 x LR03/AAA SP40
1 Row x 8 x 8 Packs = 64 Packs
- 190 Packs total
- Item No.: 50100026



Plus Alkaline LR6/AA SP40
Item No.: 11104006
EAN: 4260216456428
Carton: 12



4 260216 456428



Plus Alkaline LR03/AAA SP40
Item No.: 11104003
EAN: 4260216456435
Carton: 16



4 260216 456435



DR-29 Promotion Display "10+2 free"

- Plus Alkaline floor display for promotion shrink „SP12“ (AA I AAA)
- Height (total) 1,17m + pallet
- Width 0,485m
- Depth 0,335m
- Material Cardboard
- Surface shiny
- 12 x LR6/AA SP12
2 Rows x 2 x 3 Packs = 12 Boxes of 20 packs
- 9 x LR03/AAA SP12
1 Row x 3 x 3 Packs = 9 Boxes of 20 packs
- 420 Packs total
- Item No.: 50100030



Plus Alkaline LR6/AA SP12 (10+2)
Item No.: 11101206
EAN: 4260216455643
Carton: 40 / Inner Box: 20



4 260216 455643



Plus Alkaline LR03/AAA SP12 (10+2)
Item No.: 11101203
EAN: 4260216455650
Carton: 80 / Inner Box: 20



4 260216 455650

Giveaways

Camelion Giveaways include practical promotional and everyday items for various applications. The different products are ideal for promotional activities, events, or daily use, combining functionality with compact designs.





Mini Flashlight in Gift Box

- With Key Ring
- Black
- Item No.: 50200014



Plastic Bag, Colorful

HB-05

- Item No.: 50400006



Arm / Wrist Band, Reflective

AB-01

- Item No.: 50600003



Notepad Block, Self-adhesive

PB-03

- Item No.: 50300005



Paper Block

PB-04

- Item No.: 50300007



Notepad, small

PB-05

- Item No.: 50300009



Ring Binder for Notes, DIN A5

PM-07

- Item No.: 50300006



Camelion®

Mobile Lights

Maximum Illumination in a Professional, Durable Design

Camelion offers a extensive wide range of mobile lights. From the standard flashlight to professional portable searchlight, the Camelion models are suitable for almost all life situations.

LED Headlamps

Camelion Headlamps impress with outstanding brightness, durability, and practical features. The different models offer multiple lighting modes, making them versatile for a wide range of applications. Whether at work, during sports, hiking, or fishing, Camelion headlamps are the ideal companion for numerous indoor and outdoor activities.



S808



3W COB Headlamp

- With 4 light modes:
100%, 30%, flashing, SOS mode
- Long-life LED
- Battery life: approx. 8 hours (at 30%)
- 120 lumens light output
- Lighting range up to 50 m
- Adjustable beam angle
- Adjustable elastic headband
- Available in white and orange
- Includes 3x AAA alkaline batteries

Best suited for:

Outdoor activities such as travelling, hiking, camping, fishing or caving, as well as for hands-free work.

S809



5W LED Headlamp

- With 4 + 3 lighting modes:
1x CREE LED: 100%, 50%, 20%, SOS mode
2x LED: 100%, 50%, flashing
- Battery life: approx. 20 hours (at 20%)
- Up to 160 lumens light output
- Beam distance up to 80 m
- Adjustable beam angle
- Durable & lightweight
- Adjustable elastic headband
- Includes 3x AAA alkaline batteries



S808



S808-3LR03-DB
Item No.: 30210014



4 260216 458538



S809



S809-3LR03-DB
Item No.: 30710010



4 260216 458576

SPECIFICATIONS

Model#	LEDs	LED Type	Luminous Flux	Battery Type	Housing Material	Available Colors	Water Resistant
S808	1	2W COB LED	120 lm	3 x AAA	Plastic	☐ White ☒ Orange	x
S809	3	1 x CREE LED 2 x LED	160 lm	3 x AAA	Plastic	☒ Black	x

PACKAGING DETAILS

Item#	Packaging Type	Batteries Included	Blister/Box Details					Outer Carton Details					
			Dimensions (mm)			Net Weight (g)	Pcs/carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	H Height			
S808-3LR03-DB	Blister	Alkaline 3 x AAA	200	125	68	108.3	60	45	38	44	0.0752	7.9	6.90
S809-3LR03-DB	Blister	Alkaline 3 x AAA	200	120	65	114.3	60	43	39	41	0.0688	8.0	7.0

RS921

9W Sensor Headlamp Rechargeable

- Light sources: 1 x 6W LED + 1 x 3W COB
- Motion sensor, controllable within a 10 cm range
- High brightness up to 480 lm
- 3 lighting modes: LED, COB, LED + COB
- Stepless dimming by holding down the button
- Dual switch: Manual switch + sensor switch
- 60° adjustable beam angle
- Power source: 3.7V 1800mAh 18650 Li-ion battery
- Rechargeable via USB-C port (cable included)
- Indicator lights for charge status
- Charging time: 3 hours
- Waterproof (IPX4)*

Best suited for:

Outdoor activities such as travelling, hiking, camping, fishing or caving, as well as for hands-free work.

RS922

5+3W LED Sensor Headlamp Rechargeable

- Light sources: 1 x 3W SMD LED + 1 x 5W COB
- Motion sensor, controllable within a 10 cm range
- High brightness up to 500 lm
- 7 lighting modes:
 - COB:** Bright white, Dim white, Bright red, Dim red, Strobe
 - LED:** Bright / Dim
- Dual switch: Manual switch + sensor switch
- Power source: 3.7V 1200mAh 18650 Li-ion battery
- Rechargeable via USB-C port (cable included)
- Charging time: 3 hours
- Waterproof (IPX4)*

*An IPX4 rating means that it is resistant to rain and water jets, but it is not suitable or guaranteed to withstand swimming or being submerged underwater.

SPECIFICATIONS

Model#	LEDs	LED Type	Luminous Flux	Battery Type	Housing Material	Protection Class
RS921	2	1 x 6W LED 1 x 3W COB	480 lm	Lithium 1800mAh	ABS	IPX4
RS922	2	1 x 3W SMD-LED 1 x 5W COB	500 lm	Lithium 1200mAh	ABS + Silicone	IPX4


PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	H Height			
RS921	Color Box	Lithium 1800mAh	135	130	50	191.6	40	56	31.5	31	0.0547	8.7	7.7
RS922	Color Box	Lithium 1200mAh	145	60	55	125.4	40	33	26	28	0.0240	5.3	4.3




RS921

CE
RS921-CBH
Item No.: 30210015
4 260216 458521



RS922

CE
RS922-CBH
Item No.: 30210016
4 260216 458545



	Mode	Lumen Output	Run Time
COB	White High	500 lm	1.5 h
	White Low	150 lm	3.5 h
LED	White High	60 lm	8 h
	White Low	20 lm	18 h

Classic LED Flashlights

Camelion Flashlights offer reliable light performance, durable quality, and robust construction. Designed for versatile applications, the different models provide efficient illumination for everyday use, work, and a wide range of indoor and outdoor activities.





Classic LED Flashlights

- Super bright and replaceable LED bulb
- 100 lumens of light output
- Long battery service life
- Many color options
- For indoor and outdoor use



FL1L2AAD24

1 LED



FL1L2AAD24
Item No.: 30200044



Up to
16 Hrs
Continuous use



FL1L2DD12

1 LED



FL1L2DD12
Item No.: 30200043



Up to
65 Hrs
Continuous use



FL1L2AA2R6P

1 LED



FL1L2AA2R6P
Item No.: 30200025



Up to
16 Hrs
Continuous use



FL1L2CB2R14P

1 LED



FL1L2CB2R14P
Item No.: 30200045



Up to
35 Hrs
Continuous use



FL1L2DR20P

1 LED



FL1L2DR20P
Item No.: 30200026



Up to
65 Hrs
Continuous use

SPECIFICATIONS														
Model#	Name	Light Source	Lumen	Battery Type		Housing Material	Available Colors				Water Resistant			
FL1L2AA	Classic Flashlights	LED	100 lm	2 x AA		Plastic	Red Yellow	Blue Black			✕			
FL1L2C	Classic Flashlights	LED	100 lm	2 x C		Plastic	Red Yellow	Blue Black			✕			
FL1L2D	Classic Flashlights	LED	100 lm	2 x D		Plastic	Red Yellow	Blue Black			✕			
PACKAGING DETAILS														
Item#	Name	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
				Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
				L Length	W Width	D Depth			L Length	W Width	D Depth			
FL1L2AA2R6P	Classic Flashlights	Blister	2 x R6P	99	211	40	88	60	40	30	23	0.0276	5.7	5.3
FL1L2AAD24		Display box	——	230	154	150	1116	8	48	33	32.5	0.0515	9.29	8.2
FL1L2CB2R14P	Classic Flashlights	Blister	2 x R14P	132	242	55	180	24	47	20	26	0.03	4.6	3.6
FL1L2DR20P	Classic Flashlights	Blister	2 x R20P	158	292	70	313	24	46	31.5	31	0.0449	8.7	7.5
FL1L2DD12		Display box	——	250	188	195	1332	4	51.5	40	21.5	0.0443	6.75	5.3



LED Pocket Flashlight

- Ultra shock resistant up to 3 meters drop height
- Continuous lighting up to 20 hrs*
- LED light source
- Water resistant (IPX4)**
- Slim portable design

Best for:

Traveling, hiking, camping, fishing and athletics

*Camelion 2015 lab tests, LED brightness will attenuate when battery power is weak.

**An IPX4 designation means it will withhold against rain and jets of water, but it not suitable nor guaranteed to survive for swimming or immerse under water.

*** An IPX7 designation means it can withstand accidental immersion in water within the depth of one meter for up to 30 minutes.



LED Rubber Flashlight

- Heavy Duty Rubberized Case
- Shockproof up to 2 meters drop
- Water Resistant (up to IPX7***)
- Shatterproof Optical Lens
- Non Slip Grip: Oil/grease resistant grip with push button switch and end strap
- Never replace LEDs: 100,000 hr lifetime
- Brightness Intensifying Optical Cavity Design

SPECIFICATIONS

Model#	LEDs	LED Type	Luminous Flux	Battery Type	Body Material	Available Colors	Water Resistant
HP7011	1	Osram 3030 LED	150 lm	3 x AAA	Plastic	 Red Green	✓
PT1L2D	1	1W LED	45 lm	2 x D	Rubber	 Red Blue	✓
PT1L2AA	1	1 x 8mm Straw Hat LED	45 lm	2 x AA	Rubber	 Red Blue	✓

PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (m³)	Gross Weight (kg)	Net Weight (kg)
			L Length	W Width	D Depth			L Length	W Width	H Height			
HP7011-3R03BP	Blister Pack	3R03P	110	190	40	96.5	48	51.5	21.5	26.5	0.0294	6.4	4.7
PT1L2D-2R20BP	Blister Pack	2 x 2R20P	305	175	70	446	24	50.5	45	33	0.0750	11.7	10.7
PT1L2AA-2R6PBP	Blister Pack	2 x R6P	248	120	50	161	48	49.5	36	33	0.0588	8.7	7.7


Up to
20 Hrs
Continuous
use



HP7011



HP7011-3R03PBP
Item No.: 30200028




Up to
140 Hrs
Continuous
use



PT1L2D



PT1L2D-2R20PBP
Item No.: 30200053




Up to
20 Hrs
Continuous
use



PT1L2AA



PT1L2AA-2R6PBP
Item No.: 30200052



S817

1 Watt Zoom LED Plastic Flashlight

- Shock-resistant, rubberised plastic casing
- Adjustable zoom by pulling the head
- Very bright light thanks to chip LED technology
- Battery life: approx. 2.5 hours
- Slim, portable design
- 3 x AAA batteries included

T266

9-LED Flashlight Black / Silver

- High-quality, handy aluminium torch
- With 9 extra-bright LEDs
- Non-slip grip with push-button switch and wrist strap
- Battery life: approx. 45 hours
- 3 x AAA batteries included
- Available in black and silver

SPECIFICATIONS

Model#	LEDs	LED Type	Luminous Flux	Battery Type	Housing Material	Water Resistant
S817	1	1W LED	60 lm	3 x AAA	Plastic	x
T266	9	Straw hat LED	60 lm	3 x AAA	Aluminium Alloy	x

PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	H Height			
S817-DB	Blister	3 x R03P	124	200	42	87.9	120	40.5	59	45	0.1075	12.1	11.1
T266-DB-SLV	Blister	3 x R03P	123	203	35	88.2	120	54	57	29	0.0892	12.5	11.5
T266-DB-BLK	Blister	3 x R03P	123	203	35	88.2	120	54	57	29	0.0892	12.5	11.5

Up to
2.5 Hrs
Continuous
use



S817-DB

CE

S817-DB
Item No.: 30200020



Up to
45 Hrs
Continuous
use



T266 Silver

CE

T266-DB-SLV
Item No.: 30200080



Up to
45 Hrs
Continuous
use



T266 Black

CE

T266-DB-BLK
Item No.: 30200082



RT318**Rechargeable Flashlight 3W**

- Battery: 18650 Li-ion 1200mAh 3.7V
- Rechargeable via USB-C (cable included)
- Charging time: 2 hours
- Run time: Approx. 4 hours (at 50%)
- 3 light modes: 100% + 50% + flashing
- Adjustable zoom focus
- Beam distance: 200m
- Protection class: IPX4*

RT317**Rechargeable Flashlight 10W**

- Battery: 18650 Li-ion 2200mAh 3.7V
- Rechargeable via USB-C (cable included)
- Charging time: 4–5 hours
- Run time: up to 12 hours (at 10%)
- 5 light modes: 100% + 50% + 10% + flashing + SOS
- Adjustable zoom focus
- Beam distance: 250m
- Protection class: IPX4*

RT316**Rechargeable Flashlight 20W**

- Battery: 26650 Li-ion 5000mAh 3.7V
- Rechargeable via USB-C (cable included)
- Charging time: 4–5 hours
- Run time: up to 16 hours (at 10%)
- 5 light modes: 100% + 50% + 10% + flashing + SOS
- Adjustable zoom focus
- With power bank function (CTC technology)
- Beam distance: 600m
- Protection class: IPX4*

*An IPX4 rating means that it is resistant to rain and water jets, but it is not suitable or guaranteed to withstand swimming or being submerged underwater.

SPECIFICATIONS

Model#	LEDs	LED Type	Luminous Flux	Battery Type	Housing Material	Run Time (approx.)	Protection Class
RT318	1	3W White LED	300 lm	1×1200mAh, 18650	ABS, Aluminium	up to 4 h	IPX4
RT317	1	15W White LED	1000 lm	1×2200mAh, 18650	Aluminium Alloy	up to 12 h	IPX4
RT316	1	20W White LED	2000 lm	1×5000mAh, 26650	Aluminium Alloy	up to 16 h	IPX4

PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details					Outer Carton Details					
			Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	H Height			
RT318-CBH	Color Box	1×1200mAh, 18650	153	38	38	143.5	40	28.5	24	24	0.0164	6.5	5.5
RT317-CBH	Color Box	1×2200mAh, 18650	170	67	40	243	40	37	36.5	26	0.0351	11.4	10.4
RT316-CBH	Color Box	1×5000mAh, 26650	200	70	50	330	40	43	31	35	0.0467	13.5	12.5




RT318-CBH

Approx.
4 Hrs
Continuous
use



RT318-CBH
Item No.: 30220012




RT317-CBH

Up to
12 Hrs
Continuous
use



RT317-CBH
Item No.: 30220011




RT316-CBH

Up to
16 Hrs
Continuous
use



RT316-CBH
Item No.: 30220010



LED Search Lights

Discover unparalleled illumination with **Camelion Search Lights**, engineered to provide powerful and precise lighting for any situation. Whether you're navigating the outdoors, conducting search and rescue operations, or enhancing security, these search lights are designed to deliver exceptional performance. Featuring high-intensity LEDs and a mirrored parabolic reflector, Camelion Search Lights project a focused beam of light that can reach impressive distances. With robust construction and energy-efficient technology, these lights offer durability and long-lasting use. Ideal for professional and personal applications, Camelion Search Lights are your reliable partner in the dark, ensuring visibility and safety when you need it most.



FL-9LED



FL-16LED



Multi-Head LED Handheld Spotlight

- Powerful beam range of up to 150m*
- Cloverleaf reflector system for maximum focus and intensity
- Energy-saving LED: up to 5 times brighter and 8 times more efficient than conventional krypton bulbs*
- Long service life: up to 500 hours of continuous light*
- LED service life of up to 100,000 hours
- Easy to handle with non-slip design

Ideal for:

- Indoor and outdoor use
- Military, security
- Workshops, garages, car service centres
- Handy for camping, travelling and fishing



Up to
150 Hrs
Continuous
use



FL-9LED-4R6B
Item No.: 30200034



Up to
500 Hrs
Continuous
use



FL-16LED
Item No.: 30200033



*Camelion laboratory tests 2009: Performance depends on the type of battery (alkaline), temperature and ambient light conditions.

SPECIFICATIONS

Model#	LEDs	LED Type	Luminous Flux	Battery Type	Run Time (approx.)	Material	Water Resistant
FL-9LED	9	Super Bright LED	18 lm	4 x AA	up to 150 h	Plastic	✓
FL-16LED	16	Super Bright LED	32 lm	4 x D / 1 x 4R25	up to 500 h	Plastic	✓

PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	D Depth			
FL-9LED-4R6P	Color Box	4 x R6P	100	146	110	278	36	59	54	24	0.0765	12.0	10
FL-16LED	Color Box	/	250	123	135	708	12	52	39	30	0.0608	10.6	9.6

S32



2-IN-1 Spotlight

- 3W white LED + 3W dual-colour COB
- 2-in-1 multifunctional searchlight
- Adjustable handle for easy use in various scenarios
- 5 lighting modes, including side-wall illumination



RS225



Rechargeable Searchlight

- 10 W high-power LED and dual-colour SMD
- Multifunctional for both lighting and power supply
- Very high luminous intensity – up to 1000 lm
- Long beam range of up to 480 m
- Adjustable shoulder strap and ergonomic handle
- 7 lighting modes



SPECIFICATIONS

Model#	LEDs	LED Type	Luminous Flux	Battery Type	Run Time (approx.)	Beam Distance	Protection Class
S32	1	3W COB LED	LED high: 230 lm LED low: 160 lm COB white: 150 lm	3 x AA	LED High: 4 h LED Low: 6 h COB: 6 h	200 m	IPX4
RS225	1	10W SMD LED	Front LED white high: 1000 lm Front LED white low: 470 lm Centre SMD white high: 420 lm Centre SMD white low: 270 lm	3,7 V, 4800 mAh Lithium battery (built-in)	Front LED white (high): 3.5 h Front LED white (low): 9.5 h Centre SMD white (high): 10 h Centre SMD white (low): 18 h	480 m	/

PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	D Depth			
S32-3R6PCB	Color Box	3 x R6P	185	105	148	390	6	39	33.5	17	0.0222	3.15	2.35
RS225-CB	Color Box	Lithium	200	107	146	545	18	44	40.5	42	0.0748	13.9	12



S32



S32-3R6PCB
Item No.: 30200055



LED Search Lamp Modes:



Low Beam



High Beam

COB Area Lantern Modes:



White Light



Red Light



Red Flashing



RS225



RS225-CB
Item No.: 30200225



Multi-Purpose Lights

Illuminate your world with **Camelion's Multi-Purpose Lights**, designed to meet all your lighting needs with efficiency and reliability. Whether you're at home, at work, or exploring the great outdoors, these versatile lights are your perfect companion. Ideal for a variety of applications, including workshops, medical practices, and camping trips, Camelion Multi-Purpose Lights are easy to handle and practical in design, making them a must-have for any situation.




RT81



3-in-1 LED Aluminium Light Kit Rechargeable

- 3 interchangeable heads for different lighting needs
- 5 Lighting Modes - High / Medium / Low / SOS / Strobe
- Super Bright - 600 lm (flashlight head), 400 lm (work light head), 200 lm (flexible gooseneck head)
- Flashlight and flex-light offer adjustable beam focus
- Work light turns around 360° horizontally and vertically
- Concealed USB port with LED charging indicator
- A carrying case included for storing components



RT81-18650-26TB
Item No.: 30200081



4 260216 458200

SPECIFICATIONS

	Light Source	Lighting Modes	Lumen Output	Continuous Operating Time	Beam Distance	Protection Class
Flashlight Head	Lumileds Luxeon HL2X	High Medium Low SOS Strobe	High: 600 lm Medium: 300 lm Low: 150 lm	High: 3 h Medium: 6 h Low: 12 h	250 m / 820.21 ft	IP54
Work Light Head	COB White		High: 400 lm Medium: 200 lm Low: 100 lm	High: 3 h Medium: 6 h Low: 15 h	30 m / 98.43 ft	
Flexible Gooseneck Head	Osram P8		High: 200 lm Medium: 100 lm Low: 50 lm	High: 6.5 h Medium: 11.5 h Low: 26 h	100 m / 328.08 ft	

PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (m³)	Gross Weight (kg)	Net Weight (kg)
			L Length	W Width	D Depth			L Length	W Width	D Depth			
RT81-18650-26TB	Blister Pack	18650	228	355	37	800	12	73	38	28.5	0.022	12.45	9.6

RS936



RS936-CBH
Item No.: 30240014



S807



S807-CB
Item No.: 30220007



8W COB LED Work Light Rechargeable

- Extremely bright COB LEDs (max. 400 lumens)
- Gradually dimmable
- Charging time: 4 hours
- USB cable included
- Charging status indicator (rear)
- Run time: At 100%: approx. 2.5 hours
/ At 25%: approx. 24 hours
- With hanging loop
- Built-in rechargeable 18650 Li-ion battery
- Colour: Black
- Dimensions: 38 x 3.8 cm x 3.2 cm
- 360° rotating / 80° swivelling magnetic base

Ideal for:

Outdoor and indoor activities, such as car repairs, camping, home security,...

30 LED Lantern Black

- Pull up to switch on, push down to switch off
- High brightness of up to 120 lm
- Runs on 3 x AA batteries for easy replacement
- Metal handles for easy carrying or hanging.
- Slim, efficient & durable

Ideal for:

Outdoor and indoor activities

SPECIFICATIONS

Model#	LEDs	LED Type	Luminous Flux	Battery Type	Run Time (approx.)	Protection Class
RS936	1	8W COB LED	Up to 400 lm	18650 Li-Ion battery 3.7V / 2200mAh (built-in)	At 100%: approx. 2.5 h At 25%: approx. 24 h	IPX4
S807	30	LED	120 lm	3 x AA	approx. 4 - 5 h	—

PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	D Depth			
RS936-CBH	Color Box	18650 Li-Ion battery 3,7V / 2200mAh (built-in)	385	45	40	227.3	12	41.5	32	37	0.0491	11.05	10.05
S807-CB	Color Box	—	135	97	97	284	24	37	38	28	0.0287	7.0	6.0

SL7018



SL7018-3R6TB
Item No.: 30200050



S816



S816-DB
Item No.: 30240013



LED Light Strip with Sensor

- Wide sensor angle of up to 120°
- Long sensor range of up to 4 m
- Mounting using double-sided adhesive tape or screws
- Detachable body from the mounted base
- Soft lighting thanks to the frosted cover
- Battery life: Up to 20 hours

Ideal for:

Bedrooms, hallways, stairwells, bathrooms

COB Push Light

- Can be turned on and off by pressing the light surface
- Attaches using self-adhesive pads
- Powered by 3 AAA batteries (not included)
- Available in silver and white
- Battery life: Up to 24 hours

Ideal for:

Cupboards, shelves, cellars, storage rooms and emergency lighting

SPECIFICATIONS

Model#	LEDs	LED Type	Luminous Flux	Battery Type	Run Time (approx.)	Protection Class
SL7018	6	SMD	25 lm	3 x AA	Up to 20 h	—
S816	1	1W COB	50 lm	3 x AAA	Up to 24 h	—

PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	D Depth			
SL7018-3R6TB	Blister	3 x AA	190	110	48	139	24	26.2	36.5	34	0.0748	6.3	5.6
S816-DB	Blister	—	164	112	29	45.3	24	45	41	65	0.1199	11.05	10.05

SL5240N



SL5240N-3R6PD12

Item No.: 30200049



SL7280N



SL7280N-3R03PD12

Item No.: 30200048



3W COB Workshop Light

- Workshop light in a pack of 12
- Excellent lighting provided by a 3W COB LED
- Full brightness lasts for up to 4 hours
- After that, it lasts for up to 48 hours at a lower brightness
- Strong magnetic button and 360° swivel hook
- Rubberised, durable ABS housing for greater comfort

Ideal for:

Indoor tasks, such as workshop work, household chores and working in hard-to-reach places.



COB LED Multi Light 2-in-1

- Multi Light in a pack of 12
- Very bright white COB LED and 4 LEDs
- Full brightness lasts for up to 2.5 hours
- After that, it lasts for up to 48 hours at a lower brightness
- Strong magnetic button and 360° swivel hook
- Rubberised, durable ABS casing for greater comfort



SPECIFICATIONS

Model#	LEDs	LED Type	Lumen Output	Battery Type	Run Time (approx.)	Material	Protection Class
SL5240N	1	3W COB LED	220 lm	3 x AA	Full power: 4 hours Low power: 48 hours	ABS	—
SL7280N	1	3W COB LED	200 lm	3 x AAA	Full power: 2.5 hours Low power: 48 hours	ABS	—

PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	D Depth			
SL5240N-3R6PD12	Display Box	3 x R6P	202	227	210	1750	4	49	24	46	0.0541	9	7
SL7280N-3R03PD12	Display Box	3 x R03P	158	305	96	1250	4	32.5	32	21.5	0.0224	5	4.2

S31



S31-4LR03D12
Item No.: 30200056



COB LED Workshop Light

- Workshop lamp in a 12-piece display
- Powerful 3W COB LED lighting
- 360° swivel base
- Strong magnetic button for attachment
- Non-replaceable LED

Ideal for:

Indoor tasks, such as workshop work, household chores and working in hard-to-reach places.

T11



T11-3R03PD12
Item No.: 30200051



LED Inspection Light

- High-performance 3W COB lighting
- Durable CNC-machined alloy aluminium housing
- Rotatable magnetic clip
- Non-replaceable LED with a lifespan of up to 50,000 hours
- 3 x AAA micro batteries included

SPECIFICATIONS


Model#	LEDs	LED Type	Lumen Output	Battery Type	Run Time (approx.)	Material	Protection Class
S31	1	3W COB LED	200 lm	4 x AAA	3 hours	Plastic	—
T11	1	3W COB LED	200 lm	3 x AAA	Full power: up to 4 hours Low power: 48 hours	Aluminium	—

PACKAGING DETAILS

Packaging Details													
Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	D Depth			
S31-4LR03D12	Display Box	3 x LR03	320	170	132	1920	48	36	34	29	0.0355	8.2	7.7
T11-3R03PD12	Display Box	3 x R03P	202	125	40	94	48	58	36.5	22.5	0.0477	5.5	4.5

LED Key Lights

Brighten up your everyday life with **Camelions LED Key Lights**, which combine compact brightness with maximum practicality. These handy lights are always close at hand whenever you need a bit of light. Ideal for everyday use – from house keys and bags to outdoor activities – Camelion LED Key Lights impress with their reliability, durability and clever design.



S815



COB Carabiner Light

- Sturdy flashlight with a sturdy carabiner clip
- With a magnet on the back
- Extra-bright COB LED
- With three lighting modes: 100%, 50% and flashing
- Powered by 2 x CR2032 lithium button cells (included)
- Available in red and blue

Ideal for:

Travelling, hiking, camping, as a night light, and for small lighting needs in everyday life.

SL3013



LED Key Ring

- Rubberised, durable casing
- Long-lasting continuous light for up to 14 hours
- Built-in Super Bright LED
- ON/OFF rotary switch on the light head
- Powered by 3x AG13 alkaline button cells (included)
- Available in blue, green, yellow and red
- Available individually in blister packs or in fishbowl display



S815



S815-DB

Item No.: 30200037



SL3013



SL3013-3LR44BP

Item No.: 30200047



SL3013



SL3013-3LR44-PB36

Item No.: 30200046



*Camelion laboratory tests 2009: Performance depends on the type of battery (alkaline), temperature and ambient light conditions.

SPECIFICATIONS

Model#	LEDs	LED Type	Luminous flux	Battery type	Run time (approx.)	Material	Available Colors
S815	1	1W COB	30 lm	2 x Lithium CR2032	approx. 2.5 h	Plastic	Red Blue
SL3013	1	Super Bright LED	30 lm	3 x Alkaline AG13	up to 14 h	Plastic	Red Blue Yellow Green

PACKAGING DETAILS

Item#	Type of Packaging	Batteries Included	Blister/Box Details				Outer Carton Details						
			Dimensions (mm)			Net Weight (g)	Pcs/ carton	Dimensions (cm)			Volume (m³)	Gross-weight (kg)	Net weight (kg)
			L Length	W Width	D Depth			L Length	W Width	D Depth			
S815-DB	Blister	2 x Lithium CR2032	198	120	29	49.5	240	68.5	39	56	0.1496	14	13
SL3013-3LR44BP	Blister	3 x Alkaline AG13	167	155	103	26	192	32.5	31.5	45.5	0.0466	7.7	5
SL3013-3LR44-PB36	Display	3 x Alkaline AG13	395	165	225	850	12	41.5	24.5	34.5	0.0347	11	10.2

Camelion®

...for more energy



North America

- Canada
- U. S. A

Caribbean / Latin America

- Argentina
- Brazil
- Bolivia
- Chile
- Colombia
- Costa Rica
- Cuba
- Dominica
- Ecuador
- EL Salvador
- Guatemala
- Haiti
- Mexico
- Nicaragua
- Panama
- Paraguay
- Peru
- Puerto Rico
- Trinidad and Tobago
- Uruguay
- Venezuela

Middle East / Africa

- Algeria
- Benin
- Egypt
- Israel
- Kuwait
- Lebanon
- Morocco
- Sierra Leone
- Saudi Arabia
- Syria
- S. Africa
- Tunisia
- U.A.E.
- Uganda

Europe

- Austria
- Albania
- Andorra
- Belarus
- Belgium
- Bosnia
- Bulgaria
- Czech Republic
- Croatia
- Cyprus
- Denmark
- Estonia
- Finland
- France
- Germany
- Georgia
- Greece
- Hungary
- Iceland
- Ireland
- Italy
- Montenegro
- Latvia
- Lithuania
- Luxembourg
- Macedonia
- Malta
- Netherlands
- Norway
- Portugal
- Poland
- Romania
- Serbia
- Slovakia
- Slovenia
- Spain
- Sweden
- Switzerland
- Turkey
- United Kingdom
- Ukraine

Asia

- Afghanistan
- Armenia
- Azerbaijan
- Bangladesh
- Cambodia
- China
- Hong Kong
- Indonesia
- India
- Iraq
- Japan
- Jordan
- Korea
- Kazakhstan
- Laos
- Malaysia
- Pakistan
- Philippines
- Singapore
- Sri Lanka
- Taiwan
- Thailand
- Turkmenistan
- Vietnam
- Yemen

Oceania

- Australia
- Fiji
- New Zealand

EUROPE HEAD OFFICE / WAREHOUSE

Camelion Batterien GmbH

Bergiusstr. 53-59, D-12057 Berlin,
Germany



For more information visit www.camelion.com

Copyright ©2026 Camelion Batterien GmbH, All rights reserved



Camelion Batterien GmbH
 camelionofficial
 camelion_official
 @CamelionBatterienGmbH
 camelionbatterien

CA-2026/2027 EN